Subject Index

A
Abananote hylonome, 370
Abax parallelepipedus, 574
Abies spp., 826
A. balsamia, 825
Abraxas spp., 64
Acacia decurrens, 740
A. greggi, 828
Acarus siro, 413–14
Acer palmatum, 181
A. platanoides, 181
A. pseudoplatanus, 820
A. rubrum, 181, 210
A. saccharinum, 181
Acherontia atropus, 63
Acheta domesticus, 671, 690
Acoustic signaling, 743–45
  larval sound production in riodininae, 745
  lycaenid *sense stricto* larval sound production, 744
  mechanisms and distribution, 743
  pupal sound production, 743
Acraea horta, 64
Acremonium loliae, 373
Acrodipsas spp., 747, 749
A. aurata, 747
A. brisbanensis, 747
A. cuprea, 747
A. illidgei, 747, 754
A. myrmecophila, 747
Actias luna, 380
Acyrthosiphon pisum, 443, 787
Adalia bipunctata, 577
Adaptations to local conditions, 442
Adaptive design of dances
  distance dialects, 938–40
  for efficient spatial communication, 938–42
  migration dances, 941–42
  tuned error in divergence angle, 940–41
Adaptive radiation, 222, 617–20
  behavioral isolation, 618
  ecological isolation, 618–19
  geographical isolation and founder events, 617–18
  speciation associated with hosts, 619–20
Adelges abietis, 658
Adrenocorticotropic hormone (ACTH), 889
Adult chemical signaling, 741–42
  ant dependent mate selection and oviposition, 742
Adults
  insecticides against, 192
Aedeomyia spp., 245
A. casticata, 245
Aedes spp., 2, 12, 15–17, 21, 245, 253, 400, 488
Ae. aegypti, 21, 130, 233, 235–36, 243–46, 249, 252–54, 400–1, 448, 514, 538, 542, 547–48, 551–52, 893
  and yellow fever and dengue, 235–36
Ae. albopictus, 21, 233, 236, 239, 241, 244–55, 401, 448
  arrivals and establishments, 246–47
  competitive exclusion, 249–50
  evolution of diapause, 250
  invasions by, 246–51
  population genetics, 247–49
  spread, 247
Ae. atropalpus, 239, 253
Ae. australis, 21, 246
Ae. bahamensis, 239, 253
Ae. bancroftianus, 11, 17
Ae. camptorhynchus, 1–2, 10–12, 16–17, 19, 22, 246
Ae. carmenti, 16
Ae. clelandi, 16
Ae. communis, 400
Ae. eidsvoldensis, 15–16
Ae. flavifrons, 17
Ae. funereus, 16
Ae. hesperonotius, 16
Ae. imprimens, 16
Ae. japonicus, 239, 246, 251, 253
Ae. japonicus in United States, 251
Ae. lineatus, 16
Ae. normanensis, 11–12, 15–16
Ae. notoscriptus, 12, 17, 21, 246
Ae. polynesiensis, 21, 254
Ae. procax, 16
Ae. pseudonormanensis, 15
Ae. pseudoscutellaris, 21
Ae. ratcliffei, 16
Ae. sagax, 11, 15, 17
Ae. sollicitans, 22, 239
Ae. taeniorhynchus, 22, 239
Ae. theobaldi, 11, 16–17
Ae. togoi, 240, 252–53, 401

Ae. tongae tabu, 21
Ae. tremulus, 11
Ae. triseriatus, 249–50, 401, 448
Ae. vexans, 244, 253, 401
Ae. vigilax, 1–2, 11–12, 15–20
Ae. vittiger, 16–17
Aenetus spp., 378
Aepocerusin, 308
Aesculus parviflora, 182
African cereal stem borers, 701–31
  biological control, 716–20
  cultural control, 710–15
  diapause, 704–6
  displacement of native stem borers by *C. partellus*, 706–7
  host plant resistance, 715–16
  indigenous natural enemies, 707
  management, 709–10
  pest status and yield losses, 708–9
  stem borers and their distribution, 702–4
  utilization of synthetic sex pheromones, 709–10
Agaoninae
  phylogeny of, 310
Age-range correlation (ARC) test, 801–4
Aggregation pheromone
  putative, 179–80
Agonistic interference competition, 440–41
Agriculture Quarantine Inspection Monitoring (AQIM), 149
Agromyza, 217
Agromyzidae
  larval feeding habits in, 216–17
Agrotis ipsilon, 853
Aircraft
  transport of vectors on, 243–44
Alerting signals, 66–67
  aposematic odors, 66
  pigments, 66–67
Aleuroglyphus ovatus, 414
Alien species invasions, 621–22
  impact of species invasions, 622
  modifications of successful invaders, 621–22
Alkaloids
  pyrrolizidine, 61–63
  tropane, 63
Allee effect, 719–20
Allelochemicals, 58
Allergen nomenclature, 398–99
Allergic reactions
  and human health, 397–98
Allium sativum, 191
Allomones, 62
Allotinus major, 739
Allotrichoma, 218
Alnus spp., 218
Aloeides spp., 749, 752
A. dentatis, 739, 741
Alphavirus, 2
Alstroemeria spp., 149
Altered proteolytic processing, 507–9
Alternation of generations
  in oak and sycamore gall wasps, 642–44
Alternative host/food sources
  lack of, 441
Alternative prey and refugia, 572
Amauromyza, 217
Amblyseius andersoni, 451
A. cucumeris, 418
Ambrosia spp., 217
A. artemisiifolia, 798
American Committee of Medical Entomology (ACME), 134
American Society of Tropical Medical and Hygiene, 134
Ammi visnagi, 580
Ampulex amoena, 42
Anagyrus antoninae, 444
Anaphylactic reactions, 400
Anastus ramakrishnae, 832
Anax imperator, 471
Ancestral pattern of imaginal growth, 476–77
Andricus spp., 638, 640–43, 646, 648, 655, 659
A. albopunctatus, 645
A. ambiguus, 641, 655
A. aries, 641
A. coriarius, 659
A. curvator, 644
A. gemmea, 641
A. grossulariae, 641
A. kollari, 641, 644–45, 655–56
A. lignicola, 641, 655
A. lucidus, 641, 659
A. pantelli, 659
A. quadrilineatus, 645
A. quercuscalicis, 641, 650–52, 654–57
A. quercusradicis, 644
A. seckendorffi, 659
A. targionii, 645
Animal and Plant Health Inspection Service (APHIS), 134, 148, 192
Anisodes illepidaria, 447
Anomala spp., 574
A. osaka, 179
Anopheles spp., 2, 245, 400
An. arabiensis, 236
An. darlingi, 238
An. gambiae, 236–38, 243, 254, 410, 547
  maximum range of, 237
An. indefinitus, 245
An. melas, 236
An. merus, 236
An. sinensis, 401

Anoplolepis custodiens, 748
A. longipes, 622, 742
Ant aggression
  suppression of, 739–40
Ant-associated organs, 738–39
  anterior tentacle organs, 739
  dendritic setae, 738–39
  dish organs, 739
  dorsal nectary organ, 738
  papillose organs, 739
  perforated chambers, 739
  pore cupola organs, 738
  riodinine ant organs, 739
  tentacle nectary organs, 739
  tentacle organs, 738
Ant association
  origin and evolution of, 758–59
  phytogenetic patterns in, 755–58
  zoogeographical patterns in, 754–55
Ant dependent mate selection and oviposition, 742
Ant-mediated defense tactics, 741
Anterior tentacle organs (ATOs), 739
Anthene emolus, 742
Antheraea pernyi, 866
A. yamamai, 97
Anthocoris nemoralis, 279
Anthomyza, 217
Anthomyzidae
  larval feeding habits in, 217
Antibiotic agent
  transferrin as, 539
Antibody fragment
  expression in paratransgenic *Rhodnius prolixus*, 129–30
Antibody prevalence community, 6–7
Anticarsia gemmatalis, 822
Antichaeta, 220
Antitrypanosomal peptide, Cecropin A
  expression in *Rhodnius prolixus*, 129
Aonidiella aurantii, 443, 445
A. citrina, 445
Apallates, 217
Aphaenogaster japonica, 752
Aphanotrigonum, 217
Aphelonyx cerricola, 641
Aphidius spp., 443–44
A. ervi, 443–44
A. rhopalosiphi, 833
A. smithi, 443–4
Aphis craccivora, 826
A. fabae, 830
A. pomi, 445
A. spiraecola, 444–45
Aphytis spp., 445
A. chrysomphali, 443
A. holoxanthus, 444
A. lingnanensis, 443
A. melinus, 443
Apids
  and human health, 406–7
Apis spp., 684, 686, 688, 692–93, 918, 927, 933–34, 936–38
  insights into origin of dance, 933–36
A. cerana, 928–29, 933, 939–41
A. dorsata, 925, 928–29, 933, 939–42
A. florea, 926, 928–29, 933, 935–36, 938–41
A. koschevnikovi, 930
A. mellifera, 406, 450, 453, 671, 918, 925–29, 934–37, 940–42
A. m. lingustica, 407
A. m. mellifera, 407
A. m. scutellata, 407, 941–42
Apoanagyrus diversicornis, 443
A. lopezi, 443
Apocrypta, 307, 309
Apocryptophagus, 307
Apomorphies
  morphological, 311–12
Aposematic odors, 66
Aposematism, crypsis, or mimicry, 76, 78
Arabidopsis, 112, 375
Arachis spp., 824
A. hypogeae, 826
Arachnids
  displacements among, 450–52
Arboviruses, 250–51
Arbutus xalapensis, 829
Arctia spp., 69
A. caja, 55
Argyrospodes argyraspis, 749
Arhopala madytus, 744
A. wildei, 743, 749
Arichanna spp., 78
A. gaschkevitchii, 60, 77–78
A. melanaria, 60, 77–78
Aridity
  as physical alternative to methyl bromide treatments, 338
Aristolochic acids (AAs), 63–64
Armigeres spp., 245
Artemia franciscana, 112
Artemisia ludoyiciana, 822
Arthropod allergens and human health, 395–433
  allergen nomenclature, 398–99
  allergic reaction, 397–98
  apids, 406–7
  caddisflies, 412
  cat fleas, 399
  caterpillars, 412
  characteristics of mite allergens, 416–17
  cockroaches, 409–11
  confused flour beetles, 404–5
  deer flies and bedbugs, 412

dust and storage mites, 412–16
fire ants, 408
house flies, 402
kissing bugs, 411
miscellaneous insects, 411–12
mosquitoes, 400–2
moths, 412
nonbiting midges, 403–4
phytophagous, predaceous, and parasitic mites, 417–18
rice weevils, 405
silkworms, 408–9
silverfish, 412
stinging insects, 405–8
vespids, 407–8
Arthropods on islands
colonization, 610–11
conservation issues in island invasions, 620–22
disharmony, 605–6
importance of history and isolation, 597–605
island dynamics, 610–16
island uniqueness, 597–606
species change subsequent to colonizaton, 612–16
species formation, 616–20
species numbers and equilibrium, 607–9
Asclepias spp., 60, 217, 833
A. curassavica, 452, 833
A. humistrata, 364, 827
A. incarnata, 833
A. syriaca, 72, 182, 366
Ascogregarina taiwanensis, 249
Asparagus officinalis, 149
Asphondylia spp., 787
A. borrichiae, 833
Aspidiotiphagus citrinus, 446
Association
omnivore-plant, 279–80
Assortive mating
either directly or indirectly tied to host-related phenotypes, 782–84
Atherigona, 218
Athyroglossa, 218
Atmospheres
controlled, in quarantine, 345
Atrachya spp., 688
A. menetriesi, 671
Atrichomelina, 220
Atrius convolvuli, 111
Atropa belladonna, 63
Atta robusta, 450
A. sexdens, 450
Attractants, 185
Aulacidea pilosellae, 642
Aulogymnus skianeuros, 647
Australia
mosquito invasions of, 245
regulatory agencies for *Bt* plants in, 866
Ross River virus in, 1–31
Autocorrelation, 159
Autotoxicity
circumvention of, 70
Aventianella longoi, 447
Axiocerces harpax, 749
Axysta, 218
Azadirachta indica, 191

B

3-β-hydroxysterol dehydrogenases, 904
Bacillus sphaericus, 506
B. thuringiensis (Bt), 136, 160, 189, 368, 372, 378, 501–33, 833, 845–81
commercialized *Bt* crops, 848–50
crops and their targeted insects, 848–51
crops under development, 850–51
influence on environment, nontarget organisms, and other crops, 857–58
plants becoming weeds, 857–58
B. thuringiensis (Bt) transgenic plants
economic, ecological, food safety, and social consequences of deploying, 845–81
food safety, 867–70
future of, 873–74
influence on insecticides used and economics of production, 851–56
influence on the environment, nontarget organisms, and other crops, 856–62
regulatory agencies for, 864–66
resistance management considerations, 862–64
risk analysis, 866–67
social issues, 870–73
and their targeted insects, 848–51
B. t. aizawai, 403
B. t. entomocidus, 403
B. t. israelensis, 19, 506
B. t. japonensis, 189
B. t. kurstaki, 403, 859
Bacteria
milky disease, 188–89
Bacterial symbionts of Triatominae
Chagas disease, 126–27
paratransgenesis, 125–26
paratransgenesis and vector control, 132–33
paratransgenesis of Chagas disease vectors, 127–32
safety concerns and regulation, 133–37
symbiosis in blood-feeding insects, 125
and their potential use in control of Chagas disease transmission, 123–41

use of integrative plasmids for transformation of, 130–31
Bactrocera cucurbitae, 791
B. dorsalis, 446–47
Ballooning, 377
Banza, 617
Barbarea vulgaris ssp. *arcuata*, 827
Baryscapus berhidanus, 647
Baseline susceptibility intraspecific variation in, 513–14
Bathyplectes anurus, 443
B. curculionis, 443
Baunina brecipes, 658
Beauveria bassiana, 190
Bedbugs
and human health, 412
Behavior of first instar larval Lepidoptera, 361–93
external plant factors facing a neonate, 371–74
internal plant factors that impact neonates, 374–77
neonate behavior and physiology, 377–80
survival of neonates and mortality factors, 363
Behavioral interactions, 41–42
Behavioral isolation, 618
Bemisia argentifolii, 446, 577, 832
B. tabaci, 446
Benefits
of omnivory, 276–78
Beta-binomial-based sampling, 153–55, 157
Beta vulgaris, 146
Betula pendula, 831
Bidens, 217
Binding site modification, 510–13
Binomial-based sampling, 150–53, 157
Biochemical basis of resistance to *Bacillus thuringiensis*, 507–13
altered proteolytic processing, 507–9
binding site modification, 510–13
other mechanisms, 513
Biochemical methods, 162
Biochemistry of ecdysteroidogenic pathway, 883–916
control of ecdysteroid synthesis, 885–93
downregulation of the prothoracic glands, 893–97
ecdysteroid biosynthesis, 897–904
future directions, 904–5
Biocontrol agents
changing attitudes to generalist predators, 565–68
definitions, 564–65
experimental evidence from manipulative field studies, 573–77
future research needs, 582
generalist predators as effective, 561–94
manipulating predator populations to enhance pest control, 577–82
negative and positive attributes of generalist predators detected during, 576–77
theory of control by generalist predators, 568–73
Biogeographic distribution, 754–59
origin and evolution of ant association, 758–59
phytogenetic patterns in ant association, 755–58
species-level and higher, 799–804
zoogeographical patterns in ant association, 754–55
Biological control, 187–91, 285–86, 716–20
by *Bacillus thuringiensis*, 189
displacement in, 442–45
milky disease bacteria, 188–89
nematodes, 189–90
other entomopathogens, 190–91
predators and parasitoids, 187–88
Biology of dance language, 917–49
adaptive design of dances for efficient spatial communication, 938–42
the dance as a spatial communication system, 918–21
dance communication and decision making by colonies, 930–32
evolutionary origin of, 932–38
future directions, 942–43
spatial-information processing in dance communication, 921–30
Biology of economically important lepidopteran cereal stem borers in Africa, 701–31
biological control, 716–20
cultural control, 710–15
diapause, 704–6
displacement of native stem borers by *C. partellus*, 706–7
host plant resistance, 715–16
indigenous natural enemies, 707

management, 709–10
pest status and yield losses, 708–9
stem borers and their distribution, 702–4
utilization of synthetic sex pheromones, 709–10
Biology of higher Diptera from freshwater wetlands, 207–32
diversity and importance of wetlands, 208–11
evolutionary considerations, 222
population and community ecology, 213–16
sampling higher Diptera, 211–13
trophic ecology and feeding habits, 216–22
Biology of smokybrown cockroach, 39–43
behavioral interactions, 41–42
body composition and diet, 42–43
ecophysiology, 40–41
life cycle, 39
populations, 43
Biorhiza pallida, 643–45, 659
Biotransformation, 69–70
Biston robustus, 77–78
Blaberus craniifer, 41
B. discoidalis, 538–39
Blastocladiella emersonni, 112
Blastophaga spp., 311, 314
B. psenes, 304–5
Blatella asahinai, 409
B. germanica, 46, 409
Blatta lateralis, 35
B. orientalis, 35, 409
Blepharomeura, 801
Blomia tropicalis, 413–15
Blood-feeding insects symbiosis in, 125
Body composition and diet, 42–43
Bombus pennsylvanicus, 406
Bombyx spp., 682–86, 693
B. mori, 97–100, 105, 107, 404, 408–9, 477–78, 483–84, 487–88, 538, 542, 545, 548, 671, 683–87, 689, 691–93, 825, 886–87, 893
Borrichia frutescens, 833
Brachycaudus cardii, 827
Brachydeutera, 218
B. sturtevanti, 216
Brassica spp., 826, 833
B. napus, 824
B. nigra, 827
B. oleracea, 149, 832
B. rapa, 826
Breeding for resistance, 716
Brevicoryne brassicae, 826–27
Bruchidius spp., 688
B. obtectus, 671
Bruchus pisorum, 866
Bt
See *B. thuringiensis*
Bubonic plague and oriental rat flea, 238–39
Busseola fusca, 96, 446, 701–2, 705–16
Butterfly diversification ants as a template for, 747–48

C

Caddisflies and human health, 412
Caenorhabditis elegans, 112, 115, 489, 523, 544, 693
Calathus, 618
Caleta manovus, 744
C. roxus, 744
Callimorpha, 69
Calliphora augar, 402
C. erythrocephala, 671
C. stygia, 402
Callirhytis, 638
Callosobruchus maculatus, 690
Calotropis procera, 452
Calpodes ethlius, 541–42, 544–45, 548–49
Calycomyza, 217
Camponotus japonicus, 741
C. niveosetosus, 739
Canadian Wetland Classification System, 209
Cannabis sativa, 65
Capiscum anuum, 191
Cardenolides, 59–60
Cardiac glycosides (CGs), 59–60
Cardiospermum corindum, 796
C. halicacabum, 796
Carex, 217, 219
Carpoglyphus spp., 414
Carposina niponensis, 345
Castanea, 637, 641, 653
Castanopsis, 637
Castilleja rhexifolia, 66
Cat fleas and human health, 399
Cataglyphis fortis, 923
Caterpillars and human health, 412
Cecidostiba adana, 652
Cecropin A expression in *Rhodnius prolixus*, 129
Celestial compass for measurement of direction, 923–25
Celtis, 217
Ceratitis capitata, 151, 446–47
Ceratomia catalpae, 61
Ceratopogonidae, 241
Ceratosolen spp., 311–12, 314
C. appendiculatus, 304

C. arabicus, 304, 316
C. bisulcatus ssp. *bisulcatus*, 304
C. b. ssp. *jucundus*, 304
C. flabellatus, 304
C. galili, 304, 316
C. kaironkensis, 300–1
C. nanus, 314
C. silvestrianus, 304
Cercidium floridum, 828
Cerodontha, 217
Ceroxys, 219
Cerris, 638
Certificate of Treatment/Certificate of Origin, 192
Cetema spp., 217
Chaetopsis spp., 219
Chagas disease, 126–27
Chagas disease vectors, 127–32
  dispersal of transformed symbionts in vector populations, 131–32
  establishment of paratransgenic *Rhodnius prolixus*, 128
  expression of antitrypanosomal peptide, Cecropin A, in *Rhodnius prolixus*, 129
  expression of a functional antibody fragment in paratransgenic *Rhodnius prolixus*, 129–30
  paratransgenesis of, 127–32
  paratransgenic studies in other triatomine species, 132
  use of integrative plasmids for transformation of bacterial symbionts, 130–31
Chalcidoidea
  phylogeny of, 310
Chamaemyia spp., 217
Chamaemyiidae
  larval feeding habits in, 217
Chemical control, 286–87
Chemical defenses of neonates, 374–76
  constitutive defense expression, 375
  induced defense expression, 376
  resins and latex, 376
  sequestered metals, 375
Chemical dips
  in quarantine, 345
Chemical signaling, 738–42
  adults, 741–42
  ant-associated organs, 738–39
  ant-mediated defense tactics, 741
  maintenance of a "standing guard" of ants, 740–41
  suppression of ant aggression, 739–40
Cheritra bulis, 744
C. freja, 744
C. santana, 744
Chiastocheta spp., 801
Chilo spp., 702, 719
C. aleniellus, 703–4
C. auricilius, 709
C. diffusilineus, 703
C. indicus, 709
C. orichalcociliellus, 702, 704, 706–8, 712–13
C. partellus, 378, 446, 701–16, 719
  displacement of native stem borers by, 706–7
C. sacchariphagus, 701, 703–4, 709, 719
C. suppressalis, 709, 850
C. zacconius, 703, 709
China
  regulatory agencies for *Bt* plants in, 865–66
Chironomus annularis, 403
C. calipterus, 404
C. lewisi, 404
C. plumosus, 403–4
C. salinaris, 404
C. tentans, 99, 403, 488
C. tepperi, 403
C. thummi thummi, 403
C. yoshimatsui, 404
Chlorinated flurocarbons (CFCs), 333
Chloropidae
  larval feeding habits in, 217
Chlorops spp., 217
Chloroselas spp., 749
C. pseudozeritis umbrosa, 749
Chlosyne janais, 830
Cholesterol
  to 7-dehydrocholesterol, 898–99
Choristoneura fumiferana, 96–97, 99, 101, 107, 372, 513, 825, 829
C. occidentalis, 823, 825
Chortoglyphus arcuatus, 414
Chromatomyia spp., 217
C. syngenesiae, 831
Chrotogonus tachypterus, 277
Chrysochus auratus, 798
C. cobaltinus, 798
Chrysodeixis eriosoma, 444
Chrysolepsis, 637
Chrysomela scripta, 507
Chrysomphalus anoidum, 444
Chrysomya bezziana, 402
Chrysoperla carnea, 564, 581
Chrysoritis spp., 741, 747
C. dicksoni, 749, 752
Chymomyza costata, 95
Cicuta, 217
Cimex spp., 412
Cladochaeta inversa, 218
Cladotanytarus lewisi, 403
Climatic conditions
  changes in, 20–21
  effect on species numbers and equilibrium, 608
Clock genes, 95

Clogmia spp., 679, 683
C. albipunctata, 678
Cnaphalocrocis medinalis, 850
Coadaptation, 316
Coboldia fuscipes, 679
Coccinella nigrovittata, 271
C. novemnotata, 445
C. septempunctata, 445, 562, 564
Coccinia indica, 832
Cockroaches
habitat index, 44–45
and human health, 409–11
Coding flight direction
into dance orientation, 925–26
Coding flight distance
into dances using distance signal, 926–27
Coenia, 218
Coenosia spp., 219
Coevolution, 315
Colboldia, 686
Cold
as physical alternative to methyl bromide treatments, 337–38
Coleomegilla maculata, 273–74, 280, 283, 564
Coleoptera
segmentation in, 688–90
selection for resistance to *Bt* in, 506–7
Colobaea, 220
Colonization
of arthropods on islands, 595–632
ecology of, 216
Coloration
warning, 78
Combination treatments
in quarantine, 347
Commercialized *Bt* crops, 848–50
corn, 848, 850
cotton, 850
potato, 850
Communities with omnivores
stability of, 283–85
Community antibody prevalence, 6–7
Community ecology
See Population and community ecology
Community-level processes, 282–85
Community structure
differences among host generations, 651–53
spatial and temporal variation associated with a single generation, 650–51
within and among Cynipid species, 650–53
Competition
exploitation, 282
reducing intraspecific, 278
Competition leading to displacement, 439–41
agonistic interference competition, 440–41
differential female fecundity, 439–40
differential resource acquisition, 439
differential searching ability, 440
intraguild predation, 441
reproductive interference, 441
resource degradation, 440
resource preemption, 440
Competitive displacement among insects and arachnids, 435–65
displacements and their extent, 442–52
factors that mediate displacement, 441–42
impacts of competitive displacement, 452–53
mechanisms of competition leading to displacement, 439–41
methods, 437–38
results, 439–53
Competitive exclusion, 249–50
"Competitive speciation," 781
Complex interactions
high-order, 282–83
Compsobata pallipes, 218
C. univittata, 218
Confused flour beetles
and human health, 404–5
Coniesta ignefusalis, 702, 704, 709, 713–15
Conioscinella, 217
Conosycea, 314
Conotrachelus nenuphar, 346
Conservation
of arthropods on islands, 595–632
Conservation biological control
estimating potential for, 576
negative effects, 576–77
positive effects, 577
Conservation issues in island invasions, 620–22
alien species invasion, 621–22
small population sizes, 621
Conservation tillage, 579
Consolidation of agriculture
and transgenic plants, 870–71
Constitutive defense expression, 375
Container-inhabiting mosquitoes, 239–41
Contarinia spp., 658
Control by generalist predators
alternative prey and refugia, 572
case in favor of generalists, 571–72

coupled relationships between generalist predators and their prey, 572–73
developments in theory of, 568–73
effects of keystone and higher-order generalist predators on prey, 570
predator strategies for coping with prey scarcity, 570–71
problems with predation models, prey choice, and functional responses, 568–70
switching behavior, 570
Control of ecdysteroidogenic pathway, 883–916
control of ecdysteroid synthesis, 885–93
downregulation of the prothoracic glands, 893–97
ecdysteroid biosynthesis, 897–904
future directions, 904–5
Control strategies, 45–47
Coordinated Framework for Regulation of Biotechnology, 134
"Coordinated Framework Notice," 864
Copidosoma spp., 693
C. floridanum, 444, 687–88
Copitarsia spp., 148–50
Coquillettidia spp., 2, 12
Cq. linealis, 2, 11
Cordilura, 219
Coridius obscurans, 832
Corn (maize)
commercialized, 848, 850
influence of plants on insecticides used and economics of production, 853–55
Cornus spp., 217
C. florida, 797
Corynebacterium spp., 132
Cospeciation, 313
Costs
of omnivory, 276–78
Cotesia spp., 719
C. flavipes, 701, 716, 718–20
C. glomerata, 444
C. rubecula, 444
C. sesamiae, 711–12, 718–20
Cotton
commercialized, 850
influence of plants on insecticides used and economics of production, 851–53
Coupled relationships between generalist predators and their prey, 572–73
Crataegus spp., 774
Creatonotos spp., 70, 74
C. transiens, 68–69
Crematogaster, 747, 749
Cricotopus sylvestris, 403
Crop damage, 285
Crop residues
management of, 712–13
Crotalaria, 61
Crudaria, 739, 747
CRUZIGARD, 131–33, 137
Cryptolestes spp., 338
C. ferrugineus, 337
C. pusillus, 337
Ctenocephalides canis, 242
C. felis, 242, 399
Ctenolepisma spp., 472–73
C. longicaudata, 470–71
Ctenopseustis obliquana, 346
Cucumis sativus, 826
Culex spp., 2, 22, 245, 400
Cx. annulirostris, 12, 15–20
Cx. australicus, 2, 11
Cx. biscaynensis, 240
Cx. gelidus, 16, 245, 253
Cx. molestus, 245
Cx. nigripalpus, 22
Cx. pipiens, 233, 245–46, 252–54, 400–1
Cx. quinquefasciatus, 12, 17, 244–6, 252, 401, 448, 506, 622
Cx. sitiens, 15–16
Cx. tarsalis, 22, 401, 448
Culicoides spp., 241
C. belkeni, 241
Culiseta spp., 2
Cs. inornata, 401
Cultural control, 187, 287, 710–15
fertilizer, 715
intercropping and habitat management, 711–12
management of crop residues, 712–13
manipulation of sowing dates and densities, 714–15
Curetis spp., 739
C. regula, 742
Cyanogenic glycosides (CNs), 64
Cycasin (CY), 64
Cyclobalanopsis, 637
Cyclocephala spp., 179
C. borealis, 179
C. lurida, 179
Cydia pomonella, 96, 152, 342, 346
Cyenolepism longicaudata, 412
Cynipid gall communities
composition of, 646–47
fungi, 647
inquilines, 646–47
parasitoids, 647
predators, 647
significance of gall structure for, 648
Cynipid life cycles, 641–45
alternation of generations in oak and sycamore gall wasps, 642–44
duration of Cynipid life

cycles, 644–45
life cycles of herb and rose gall wasps, 642
Cynipid species richness
global patterns, 640
invading oak Cynipids, 641
patterns in, 640–41
variations in Cynipid species richness among oak taxa, 640–41
Cynipini, 638–39
Cynips spp., 642
C. divisa, 654, 659
Cyrtobagous salviniae, 831
Cyrtolepis, 612
Cytisus spp., 65
Cytosolic ferritin
insects with, 541

D

Δ^4-diketol-5β(H)-reductase, 902
Danaus chrysippus, 60
D. gilippus, 78
D. plexippus, 59, 78, 364, 372, 374, 452, 827, 833, 860
Dance language, 917–49
adaptive design of dances, 938–42
and decision making by colonies, 930–32
evolutionary origin of, 932–38
future directions, 942–43
a spatial communication system, 918–21
spatial-information processing in, 921–30
Dance orientation
coding flight direction into dances, 925–26
Daphne laureola, 371
Daphnia pulex, 544
Darwinian islands, 602–3
Datura wrightii, 371
DDT, 242
De novo synthesis, 70–71
Decision-making in honey bee dance, 931
Deer flies
and human health, 412
Defense expression
induced, 376
Defense tactics
ant-mediated, 741
constitutive expression of, 375
Defensive compounds
and their effects on insect fecundity, 825–27
Defensive substances
sequestration from plants by Lepidoptera, 57–92
Defensive syndromes
sequestered, 59–67
7-dehydrocholesterol
cholesterol to, 898–99
7,8-dehydrogenase, 898–99
Delina spp., 219
Delphastus catalinae, 576
Demography, 215
Dendritic setae, 738–39
Department of Health and Human Services, 134
Depressaria pastinacella, 827
Deraeocoris spp., 272
Dermatophagoides spp., 413, 415
D. farinae, 413–14, 416–18
D. pteronyssinus, 413–18
Dermestes, 690
Desmodium spp., 217
D. uncinatum, 712
Deterrents
to feeding, 181–82
Deudorix epijarbas, 744
Diabrotica spp., 850
D. insulare, 832
Diagnostic dose assays, 161–62
Diapause, 97–110, 704–6
endocrine regulators, 97–100
evolution of, 250
future directions, 113–15
maternal effects, 100
other dormancies, 112–13
patterns of gene expression, 100–10
photosensitive phase, 94–95
preparative phase, 95–97
regulation of, 93–122
termination, 110–12
Diapause-downregulated genes, 101–3
Diapause hormone (DH), 98–99
Diapause-upregulated genes, 104–8
early-diapause genes, 106–7
genes expressed intermittently during diapause, 108–9
genes upregulated throughout diapause, 104–6
late-diapause genes, 107–8
stress responsive genes, 109–10
Diastata spp., 217
D. repleta, 217
Diastatidae
larval feeding habits in, 217
Diatraea spp., 719
D. grandiosella, 96, 853
D. saccharalis, 378
Diazepam-binding inhibitor (DBI), 889
Dichaetomyia, 219
Dicraeus, 217
Dictya, 220
Dicyphus hesperus, 285
D. tamaninii, 285
Diet
direct effects on insect fecundity, 820–27

nutritional components of, 820–25
Digestive enzymatic traits, 272–73
Dioecious fig conflicts, 318–19
Dione junio, 370
Diplotoxa, 217
Diptera
HCH genes in, 551–52
segmentation in, 678–82
selection for resistance to *Bt* in, 506
Directional kriging, 184
Discocerina, 218
Discrete shelters and web sites, 580
Discula quercina, 647
Disease and vector control, 18–19
Disease outbreaks fomented by vector invasions, 235–39
Aedes aegypti, yellow fever, and dengue, 235–36
bubonic plague and oriental rat flea, 238–39
epidemic malaria and invasive *Anopheles*, 236–38
Disease transmission control of, 126
Dish organs, 739
Disholcaspis, 648
Disonycha pluirligata, 829
Dispersal
of first instars, 377–78
of transformed symbionts in vector populations, 131–32
Displacements and their extent, 442–52
among arachnids, 450–52
in biological control, 442–45
mediation of, 441–42
of medically important species, 448
of native stem borers by *C. partellus*, 706–7
of phytophagous insect species, 445–48
by social hymenoptera, 448–50
between taxa of different feeding guilds, 452
Disruptive selection
and negative performance trade-offs, 784–85
Distance
coding flight distance into dances, 926–27
dialects for, 938–40
measurement of, 922–23
Distribution of host plants, 637–38
Distribution of smokybrown cockroach, 37–39
domestic pests, 38–39
other outdoor locations, 38
peridomestic pests, 37–38
Diterpenes
graynoid, 60
Divergence angle
tuned error in, 940–41
"Divergence-with-gene-flow" speciation, 789
Diversity and importance of wetland ecosystems, 208–11
classification of, 208–10
importance of, 210–11
Dolichoris, 310–11
Dolichovespula arenaria, 408
D. maculata, 407
Dolomitic limestone, 187
Domestic pests, 38–39
Dorsal nectary organ (DNO), 738
Downregulation of prothoracic glands, 893–97
the EcR complex and regulation of ecdysteroidogenesis, 895–97
EcR complex of, 893–95
Drepanosiphum platanoidis, 820
Drosophila spp., 105, 472–76, 479, 484, 486, 488–92, 604, 617–19, 669–71, 674–79, 684–89, 691–93, 793, 885–87, 889, 894, 903–5
D. deflecta, 217
D. mauritiana, 805
D. melanogaster, 94, 114, 482, 535, 537–40, 542, 545–53, 671, 676, 789, 885– 86, 899–900
D. mojavensis, 797
D. mulleri, 797
D. pachea, 898
D. palustris, 217
D. pseudoobscura, 448
D. quinaria, 217
D. simulans, 805
D. subobscura, 448
D. subpalustris, 217
D. sylvestris, 538
D. triauraria, 105, 109
D. tripunctata, 217
Drosophilidae
larval feeding habits in, 217–18
Dryas iulia, 271
Dryocosmus spp., 648
D. kuriphilus, 641, 653, 658
Dusmoecetes, 619
Dust mites
and human health, 412–16

E

Early-diapause genes, 106–7
Early stage survival and behavior
conceptual model, 370–71
Ecdysone action
evolutionary aspects of, 488–90

Ecdysone receptor complex
evolution of, 488
and ultraspiracle, 99–100
Ecdysteroid biosynthesis, 897–904
cholesterol to 7-dehydrocholesterol, 898–99
Δ^4-diketol-5β(H)-reductase, 902
3-β-hydroxysterol dehydrogenases, 904
oxidation of 7-dehydrocholesterol, 900–2
side chain dealkylation of plant and fungal sterols, 898
steroid biosynthesis in insects *versus* vertebrates, 897
translocation of ER-localized 7-dehydrocholesterol to and within mitochondria, 899–900
Ecdysteroid synthesis, 885–93
other sources of ecdysteroids, 892–93
prothoracicotropic hormone and other ecdysiotropic factors affecting prothoracic gland, 886–87
PTTH release and dynamics of ecdysteroid synthesis, 891–92
PTTH transductory cascade, 887–91
sources of ecdysteroids, 885
Ecdysteroid terminal hydroxylation, 903–4
2-hydroxylation, 903–4
22-hydroxylation, 903
25-hydroxylation, 903
Ecdysteroidogenic pathway
control and biochemical nature of, 883–916
control of ecdysteroid synthesis, 885–93
future directions, 904–5
role of EcR in downregulation of the prothoracic glands, 893–97
Echinochloa spp., 217
E. crusgalli, 219
Ecological attributes of omnivory, 276–85
benefits and costs, 276–78
community level processes, 282–85
individual level processes, 276–79
omnivore-plant association, 279–80
omnivore-prey dynamics, 280–82
and other high-order complex interactions, 282–83
population level processes, 279–82
prey and host plant specificity, 278–79
stability of communities with, 283–85
Ecological change, 612–13
Ecological isolation, 618–19
Ecology
See Population and community ecology
Ecology of ant association in Lycaenidae (Lepidoptera), 733–71
ant association, 748–54
biogeographic distribution, 754–59
costs and benefits of Lycaenid-ant interactions, 745–48
entomophagy, 737, 748–54
mechanisms of interaction, 737–45
variation in Lycaenid-ant associations, 734–37
Ecology of fig wasps, 302–8
gallers, parasitoids, and predators, 307–8
host specificity, 304–5
host utilization, 305
pollination ecology, 303–4
sex ratio, 305–6
Ecology of first instar larval Lepidoptera, 361–93
external plant factors facing a neonate, 371–74
internal plant factors that impact neonates, 374–77
neonate behavior and physiology, 377–80
survival of neonates and mortality factors, 363
Ecology of higher Diptera from freshwater wetlands, 207–32
diversity and importance of wetlands, 208–11
evolutionary considerations, 222
population and community ecology, 213–16
sampling higher Diptera, 211–13
trophic ecology and feeding habits, 216–22
Ecology of Japanese beetle, 177–84
mating behavior, 180
nutritional ecology and determinants of host range, 180–84
pheromonal communication, 178–80
seasonal biology, 177–78
Ecophysiology, 40–41
EcR complex

of prothoracic gland, 893–95
and regulation of ecdysteroidogenesis, 895–97
Elachiptera, 217
Elatobium abietinum, 830
Eldana saccharina, 375, 379, 702, 704, 708–12, 715–16
Electroantennogram responses, 179
Elgiva, 220
Elliponeura spp., 217
Embryogenesis
endocrine changes during, 481–84
Embryological approaches to insect segmentation, 669–99
Embryonic development and generation of larval stage, 469–75
pronymphal stage of insects, 470–72
relationship of pronymph to the holometabolous larva, 473–74
scenario for evolution of larval stage, 474–75
Encarsia inaron, 444
E. tricolor, 444
Enchenopa spp., 791
E. binotata, 787
Endoclyta, 682
Endocrine control
of imaginal growth, 484–86
Endocrine insights into evolution of metamorphosis, 467–500
embryonic development and generation of the larval stage, 469–75
endocrine mechanisms associated with the evolution of metamorphosis, 480– 87
molecular modifications associated with metamorphosis, 487–92
timing of imaginal proliferation, 475–80
Endocrine mechanisms associated with evolution of metamorphosis, 480–87
endocrine changes during embryogenesis, 481–84
postembryonic modifications in endocrine signaling, 484–87
Endocrine regulators, 97–100
diapause hormone, 98–99
ecdysone receptor and ultraspiracle, 99–100
Endocrine signaling
postembryonic modifications in, 484–87
Endocrinology
of larval-pupal transition, 486–87
Endoxyla cinerea, 378
Enicomira, 220
Entheus priassus, 822
Entomological Society of America, 870
Entomopathogenic nematodes, 189
Entomophagy and ant association, 748–54
evolutionary constraints on entomophagy, 753–54
from mutualism to parasitism, 753
phylogenetic distribution, 748–53
Environmental Defense Fund, 873
Enzyme systems
feeding physiology and, 379–80
Eocanthecona furcellata, 65, 273
Eotetranychus willamettei, 451
Ephestia spp., 338–39
E. cautella, 337, 343, 412
E. elutella, 342
E. kuehniella, 337, 348
Ephippiger ephippiger, 829
Ephydra spp., 218
E. millbrae, 221
Ephydridae
larval feeding habits in, 218
Epichlorops spp., 217
Epidemic malaria
and invasive *Anopheles*, 236–38
Epidemic polyarthritis, 2
Epilachna niponica, 829
E. vigintipunctulata, 796
Epiophlebia superstes, 471
Epiphyas pistivittana, 345–46
E. postvittana, 372, 378
Epirrita autumnata, 831
Epitolina, 742
Equilibrium
effect on species numbers, 609
See Species numbers and equilibrium
Equus caballus, 10
Eribolus, 217
Erigeron glaucus, 831
Eriocrania, 683
Erynia neoaphidis, 833
Escherichia coli, 128–29, 159
Ethics
of transgenic plants, 872–73
Eucalyptus, 378, 447
Eucheira socialis, 829
Euchrysops, 753
Eudonia, 606
Eugaurax, 217
Euliphyra leucyana, 741
E. mirifica, 741, 748
Eumaeus spp., 64

E. atala, 64
Eumeces egregius similis, 42
Eumetopiella rufipes, 219
Euonymus europaeus, 65
Eupatorium, 61, 72–73, 217
Eupelmus urozonus, 647
Euphilotes, 787
Euphydryas spp., 60
E. chalcedonia, 799
E. editha, 798–99
E. e. bayensis, 603
Eupithecia, 616, 617
Euploea core, 373
E. c. amymone, 68
E. c. corinna, 376
Eupristina-Waterstoniella clade, 314
Euroglyphus maynei, 413–14, 417
European and Mediterranean Plant Protection Organization, 177
European Union
  novel food regulation, 850
Eurospora crassa, 112
Eurosta spp., 787–88, 792–93, 797
E. solidaginis, 109–10, 649, 787–88, 798
Euscelis plebejus, 671
Eutypa lata, 154
Euura lasiolepis, 829
Evolution of ant association in Lycaenidae (Lepidoptera), 733–71
  biogeographic distribution, 754–59
  costs and benefits of Lycaenid-ant interactions, 745–48
  entomophagy, 737
  entomophagy and ant association, 748–54
  mechanisms of interaction, 737–45
  variation in Lycaenid-ant associations, 734–37
Evolution of fig wasps, 312–20
  coadaptation, 316
  dioecious fig conflicts, 318–19
  modes of speciation, 312–16
  molecular evolution, 319–20
  resource conflicts, 317–18
Evolutionary change, 222, 613–16
  adaptive radiation, 222
  flightlessness, 613–16
  innovations, 616
  reciprocity in, 72–73
  selection for particular wetlands, 222
Evolutionary constraints on entomophagy, 753–54
Evolutionary origin of dance language, 932–38
  insights from genus *Apis*, 933–36
  insights from other social bees, 936–38
Exploitation competition, 282
External plant factors facing a neonate, 371–74
  leaf hairs and trichomes, 371
  leaf micro-flora, 372–73
  leaf toughness and hardness, 372
  leaf waxes and other leaf surface chemicals, 371–72
  microclimate, 373–74
  plant architecture, 371

F

F_2 screen, 163
Facilitation/impediment, 281
Fate maps, 685
Fecundity in herbivorous insects
  host plant quality and, 817–44
Feeding behaviors, 378–79
  displacements between taxa of different guilds, 452
  disruption assays, 165–66
Feeding deterrents, 181–82
Feeding physiology and enzyme systems, 379–80
Feeding site location of first instars, 377–78
Female fecundity differential, 439–40
Feniseca spp., 749
Feral screens, 162–63
Ferritin synthesis
  transcriptional control by iron, 551–52
Ferritins, 540–46
  an H-type cytosolic ferritin subunit, 546
  H-type ferritin subunits, 542, 544–45
  insects with cytosolic ferritin, 541
  intracellular ferritin distribution, 540–41
  iron homeostasis, 542
  molecular biology of insect ferritins, 542–44
  non-H-type secreted ferritin subunits, 545–46
  structure of, 540
  structure of ferritin, 540
Fertilizer, 715
Festuca arundinacea, 186, 372
Ficus spp., 286, 304–6, 312, 314
F. aurea x *religiosa*, 305
F. carica, 304–5
F. caulocarpa, 314
F. microdictya, 300–1
F. pumila, 305
F. pungens, 314

F. septica, 304
F. sur, 304, 313, 316
F. sycomorus, 316
F. tinctoria ssp. *gibbosa*, 304
F. t. ssp. *parasitica*, 304
F. variegata, 304
F. viridicarpa, 304
Field borders, 580
Fig wasps, 299–330
  ecology of, 302–8
  evolution of, 312–20
  systematics of, 308–12
Fiorinia externa, 445–46
Fire ants
  and human health, 408
Fleas, 242
Fletcherimyia, 219
Flight
  and adult feeding activities, factors affecting, 183–84
Flight direction
  coding into dance orientation, 925–26
Flight distance
  coding into dances using distance signal, 926–27
Flightlessness
  in evolutionary change, 613–16
Flour beetles
  confused, and human health, 404–5
Food and Agricultural Organization (FAO), 865, 868
Food and Drug Administration, 134, 339, 864–65
Food assessment, 71–72
Food Quality Protection Act of 1996, 342
Food sprays and semiochemicals, 581
Foraging
  for different food types, 274–75
Founder events, 618
  geographical isolation and, 617–18
  multiple, 659
Fragment islands, 603–4
Frankliniella occidentalis, 274, 345
F. schultzei, 274
Franklinothrips vespiformis, 275
FREECALC, 157
Freshwater wetlands
  classification of, 208–10
Friedreich's ataxia, 552
Fumigant alternatives, 339–42
  most likely replacements, 339–41
  unlikely replacements, 341–42
Fumigation
  in quarantine, 345
Functional antibody fragment expression in paratransgenic *Rhodnius prolixus*, 129–30
Fungi, 647

G

Galerucella lineola, 832
Gall wasps
  alternation of generations in oak and sycamore, 642–44
  life cycles of herb and rose, 642
Galleria mellonella, 96–97, 486–87, 542, 548
Gallers, 307–8
Galls
  toughness, 648–49
  wall thickness, 649
Gastrophysa atrocyanea, 106
Gene expression
  shutting down, 103, 113
Generalist predators, 566–68
  appropriateness of, 566–67
  changing attitudes to, 565–68
  effectiveness of assemblages of, 575
  historical perspectives, 565–66
  specialists *versus*, 566–68
  trade-offs, 567–68
Generally Regarded As Safe (GRAS) policy, 865
Genes
  clock, 95
  expressed intermittently during diapause, 108–9
  expression uninfluenced by diapause, 101
  upregulated throughout diapause, 104–6
Genetic basis
  for host adaptation with sympatric speciation, consistency of, 791–93
Genetically modified (GM) symbionts, 131
Genetics of resistance to *Bacillus thuringiensis*, 513–23
  estimation of resistance gene frequency, 514–15
  identification of resistance genes, 522–23
  intraspecific variation in baseline susceptibility, 513–14
  mode of inheritance of resistance, 515–19
  simultaneous occurrence of different resistance genes, 521–22
  stability of resistance, 520–21
  variability for resistance genes as detected by laboratory, 514
Geocoris spp., 580
G. punctipes, 274, 277, 280
Geographical isolation

and founder events, 617–18
Geomyza spp., 219
Geotaxis, 938
Global food supply
and transgenic plants, 871
Global warming, 20
Glossina fuscipes quanzensis, 448
G. morsitans, 241
G. palpalis, 241
G. p. palpalis, 448
Glossinidae, 241
Glucosinolates (GLs), 65
Glyceria, 217, 219
Glycosides
cardiac, 59–60
cyanogenic, 64
iridoid, 60–61, 827
Glycyphagus domesticus, 413–14
Gonepteryx, 617
Gordonia rubropertinctus, 132
G. terrae, 132
Gossypium spp., 857
Grallina cyanolucea, 10
Grapholita molesta, 74
Graphomyia spp., 219
GRAS (Generally Regarded As Safe) policy, 865
Graynoid diterpenes (GTs), 60
Greenpeace, 873
Greya, 797
Group size, 159
Group testing, 158–59
Gryllotalpa africana, 272
Guam
mosquito invasions of, 244–45
Gustavia superba, 822
Gynaephora groenlandica, 822

H

H-type ferritin subunits, 542, 544–45
cytosolic, 546
Habitat management
intercropping and, 711–12
Habitat manipulation, 578–81
conservation tillage, 579
discrete shelters and web sites, 580
field borders, 580
intercropping, 579
the landscape, 580
living mulches, 579
straw mulches, 578–79
Habitats
distribution of, 213–15
effect of diversity on species numbers and equilibrium, 608
higher Dipteran, 211–12
Habrobracon hebetor, 339
Habronestes bradleyi, 741
Halofenozide, 191
Haplothrips senecionis, 827
Harmonia axyridis, 445
Hawaii
mosquito invasions of, 244
HCH genes in Dipterans, 551–52
Heat
as physical alternative to methyl bromide treatments, 334–37
Heat shock proteins, 112
Hedria, 220
Hegeter, 610
Height
communicating by the waggle dance, 930
Heliconius spp., 64, 72
H. sara, 64
Helicoverpa spp., 367, 581
H. armigera, 514–15, 523, 851, 863
H. zea, 111, 163, 280, 368, 380, 490, 514, 851, 853
Heliothis spp., 488
H. armigera, 824
H. virescens, 162, 368, 378, 482, 505, 507, 510, 513–15, 519, 521–23, 851, 862–63
Heliotropium, 61
Hemiargus isola, 744–45
Hemisarcoptes cooremani, 418
Herbivorous insects
host plant quality and fecundity in, 817–44
HERDACC, 157
Herina, 219
Heterorhabditis bacteriophora, 189–90
H. marelatus, 190
Hexomyza, 217
High-order complex interactions, 282–83
High-pressure water in quarantine, 346
Homo sapiens, 544
Homoneura spp., 218
Hoplodicta, 220
Hordeum vulgare, 822
Horizontal transfer
influence on the environment, nontarget organisms, and other crops, 858
Horses, 10
Host-alternating Cynipids, 638–40
Host exploitation, 73
Host generations
differences among, 651–53
Host location
by adults, 180–81
Host plant choice
effects of ant association on, 746–47
Host plant quality and fecundity in herbivorous insects, 817–44
direct effects of diet on insect fecundity, 820–27
effects of host plant quality

on insect reproductive strategies, 828–29
fecundity and other measures of insect performance, 818–20
interactions between host plant quality, herbivores, and natural enemies, 832–33
modification of host plant quality by other insect herbivores, 830–31
Host plant relationships in Cynipini, 637–40
host-alternating Cynipids, 638–40
taxonomic and geographic distributions of host plants, 637–38
Host plant resistance, 186, 715–16
breeding for resistance, 716
resistance to adults, 186
resistance to grubs, 186
Host plant suitability for adults determinants of, 181–82
Host quality and interactions changes in, 376–77
Host range
nutritional ecology and determinants of, 180–84
Host-related phenotypes assortive mating tied to, 782–84
Host specificity, 304–5
breakdown of, 314
Host switching, 799
speciation associated with, 313, 619–20
Host utilization, 305
House flies
and human health, 402
Human disease
Aedes japonicus in the United States, 251
definitions, 234–35
determinants of invasion success, 252–54
disease outbreaks fomented by vector invasions, 235–39
future directions and needs, 254–55
invasion biology and vector control, 254
invasions by *Aedes albopictus*, 246–51
invasions by insect vectors of, 233–66
invasive vector groups of the twentieth century, 239–42
mosquito invasions of Pacific islands, 244–46
"Tens Rule" of Williamson and mosquito invasions, 251–52
transport of vectors on aircraft, 243–44
Hyadina, 218
Hyalophora cecropia, 109, 128, 482–83, 486–87, 886
Hybridization
subtractive, 114
Hydrellia, 218
Hydromya, 220
Hydromyza, 219
Hydroxylation
ecdysteroid terminal, 903–4
Hyles euphorbiae, 65
Hymenoptera
segmentation in, 686–88
Hypera postica, 443
Hypergeometric-based sampling, 149–50, 157
Hyphantria cunea, 372

I

Icerya purchasia, 565–66
Idea leuconoe, 61–63, 74
Ideopsis similis, 66
Ilex opaca, 191
Ilythea, 218
Imaginal growth
endocrine control of, 484–86
Imidacloprid, 191
Immunoglobulins, 109
Immunotherapy
venom, 407
In-field screen, 163–65
Incertella, 217
Independent regulation of insect population sizes in discrete host plant niches, 780–82
Indigenous natural enemies, 707
nematodes and pathogens, 707
parasitoids, 707
predators, 707
Individual-level processes, 276–79
Induced defense expression, 376
Influence of *Bt* plants
becoming weeds, 857–58
corn, 853–55
cotton, 851–53
on the environment, nontarget organisms, and other crops, 856–62
horizontal transfer, 858
on insecticides used and economics of production, 851–56
other nontarget organisms, 859–61
outcrossing, 857
potatoes, 855–56
soil organisms, 858–59
Information transfer
from dancer to follower, 927–30
Inheritance of resistance
mode of, 515–19
Innovations

in evolutionary change, 616
Inquilines, 646–47
Insect embryos
segmentation in, 670–74
Insect fecundity
defensive compounds and their effects on, 825–27
direct effects of diet on, 820–27
and nutritional components of diet quality, 820–25
Insect herbivores
modification of host plant quality by, 830–31
Insect performance
fecundity and other measures of, 818–20
Insect resistance to *Bacillus thuringiensis*, 501–33
biochemical basis of resistance, 507–13
genetics of resistance, 513–23
selection for resistance to *Bt*, 503–7
Insect segmentation
Coleoptera, 688–90
Diptera, 678–82
in embryos, 670–74
Hymenoptera, 686–88
Lepidoptera, 682–86
molecular and embryological approaches to, 669–99
Orthoptera, 690–92
Insecticidal control, 191–92
against adults, 192
against larvae, 191–92
Insecticidal crystal proteins (ICPs), 848, 865
Insects
possessing key features assumed in models, 786–89
stinging, and human health, 405–8
Integrated manipulation, 581–82
Integrated pest management (IPM), 46–47, 347
pheromones used as a control method, 348
sampling, 347–48
sanitation, 349–51
Integrative plasmids
for transformation of bacterial symbionts, 130–31
Interaction mechanisms, 737–45
acoustic signaling, 743–45
chemical signaling, 738–42
Intercropping, 579
and habitat management, 711–12
Internal plant factors that impact neonates, 374–77
changes in host quality and interactions, 376–77
chemical defenses, 374–76
nutrition, 374
International Council of Scientific Unions, 234
InterTropical Convergence Zone, 241
Intracellular ferritin distribution, 540–41
Intraguild predation, 441
Intraspecific competition reducing, 278
Intraspecific variation in baseline susceptibility, 513–14
Inundative release, 578
Invading oak Cynipids, 641
Invasion biology and vector control, 254
Invasions by *Aedes albopictus*, 246–51
arboviruses, 250–51
arrivals and establishments, 246–47
competitive exclusion, 249–50
evolution of diapause, 250
population genetics, 247–49
spread, 247
Invasions by insect vectors of human disease, 233–66
Aedes japonicus in United States, 251
Ceratopogonidae, 241
definitions, 234–35
determinants of invasion success, 252–54
disease outbreaks fomented by vector invasions, 235–39
fleas and lice, 242
future directions and needs, 254–55
Glossinidae, 241
kissing bugs, 241–42
mosquito invasions of Pacific islands, 244–46
mosquitoes, 239–41
other vector Diptera, 241
Simuliidae, 241
"Tens Rule" of Williamson and mosquito invasions, 251–52
transport of vectors on aircraft, 243–44
Iphiseius degenerans, 275, 286
Iridoid glycosides (IGs), 60–61, 827
Iridomyrmex purpureus, 741, 747
I. rufoniger, 746
Iron homeostasis, 542
iron-binding proteins and, 536–37
Iron loading, 551
Iron metabolism in insects, 535–59
insights from

D. melanogaster genome, 552–53
transcriptional control of ferritin synthesis by iron, 551–52
translational control of protein synthesis by iron, 546–51
Iron regulatory proteins, 546–47
Iron responsive elements, 547–48
Iron transport and storage, 537–46
ferritins, 540–46
other iron uptake mechanisms, 539–40
transferrins, 537–39
IRP/IRE interaction
control of protein synthesis by, 549–50
Irradiation
in quarantine, 346–47
Island arthropods
conservation issues in invasions, 620–22
species formation, 616–20
species numbers and equilibrium, 607–9
Island dynamics, 612–16
and colonization, 610–11
Darwinian islands, 602–3
and disharmony, 605–6
ecological change, 612–13
effect of age on species numbers and equilibrium, 608–9
evolutionary change, 613–16
fragment islands, 603–4
importance of history and isolation, 597–605
mixed islands, 604–5
species change subsequent to colonizaton, 612–16
Isolation
behavioral, 618
ecological, 618–19
effect of extreme on species numbers and equilibrium, 609
Istocheta aldrichi, 188
IUCN Red List of Threatened Species, 754
Iva axillaris, 798
Ixodes ricinus, 544

J

Jalmenus spp., 747
J. eichhorni, 747
J. evagoras, 740–46
J. ictinus, 747
J. lithochroa, 747
Japanese beetle (JB), 175–205
attractants and trapping, 185
biological and microbial control, 187–91
biology and ecology, 177–84
cultural control, 187
future directions for research and management, 193–94
history as a pest and current geographic distribution, 176–77
host plant resistance, 186
insecticidal control, 191–92
management, 184–93
mass sterilization, 186–88
mating behavior, 180
nutritional ecology and determinants of host range, 180–84
pheromonal communication, 178–80
plant-derived antifeedants, 191
regulatory control, 192–93
sampling, spatial distribution, damage thresholds, 184–85
seasonal biology, 177–78
Juglans, 804
Juncus, 219
Junonia coenia, 68, 826–27, 833
Juvenile hormone (JH)
actions of, 490–92
Juvenile hormone-regulated protein
transferrin as, 539

K

Kairomones, 62
Kakerlac fulginosa, 34
K. pallipalpis, 34
Kampimodromus aberrans, 452
Keystone and higher-order generalist predators
effects on prey, 570
Kissing bugs, 241–42
and human health, 411
Knowledge
effect on species numbers and equilibrium, 609
Koelreuteria elegans, 796
K. paniculata, 796
Kradibia spp., 308, 312, 314
K. ohuensis, 300–1

L

Labeling
and transgenic plants, 872
Labulla, 617
LaCrosse encephalitis virus, 250
Lactrodectus katipo, 451
Landscape manipulation, 580
Laportea canadensis, 182
Larinus spp., 798
L. cynarae, 797
L. latus, 798
Larval chambers per gall, 649
Larval feeding habits, 184, 216–20
Agromyzidae, 216–17

Anthomyzidae, 217
Chamaemyiidae, 217
Chloropidae, 217
Diastatidae, 217
Drosophilidae, 217–18
Ephydridae, 218
Lauxaniidae, 218
Micropezidae, 218
Muscidae, 218–19
Opomyzidae, 219
Otitidae, 219
Psilidae, 219
Sarcophagidae, 219
Scathophagidae, 219
Sciomyzidae, 220
Sepsidae, 220
Sphaeroceridae, 220
Larval-pupal transition
endocrinology of, 486–87
Larval stage
insecticides against, 191–92
scenario for evolution of, 474–75
sound production in riodininae, 745
Lasconotos subcostulatus, 279
Lasioderma serricorne, 335, 338, 342, 348–49
Lasiosina, 217
Late-diapause genes, 107–8
Latex secretions, 182, 376
Laupala, 618
Lauxaniidae
larval feeding habits in, 218
LCH genes in Dipterans, 551–52
Leaf hairs and trichomes, 371
Leaf micro-flora, 372–73
Leaf toughness and hardness, 372
Leaf waxes and other leaf surface chemicals, 371–72
Lemnaphila, 218
Lemonia caliginea (= *Anatole rossi*), 743
Lepidium virginicum, 827
Lepidochrysops spp., 749, 752–54
L. ignota, 739
Lepidoglyphus destructor, 413–14, 416
Lepidoptera
biotransformation by, 69–70
circumvention of autotoxicity, 70
ecology and behavior of first instar larval, 361–93
ecology and evolution of, 71–78
external plant factors facing a neonate, 371–74
fates of sequestrates, 68–69
internal plant factors that impact neonates, 374–77
neonate behavior and physiology, 377–80
physiology and biochemistry of, 67–71
plant-herbivore interface, 71–75
prey-predator interface, 75–78
process of sequestration, 67–68
segmentation in, 682–86
selection for resistance to *Bt* in, 503–6
sequestered defensive syndromes, 59–67
sequestration of defensive substances from plants by, 57–92
sequestration or de novo synthesis, 70–71
survival of neonates and mortality factors, 363
Lepidopteran cereal stem borers in Africa
biological control, 716–20
biology and management of, 701–31
cultural control, 710–15
diapause, 704–6
displacement of native stem borers by *C. partellus*, 706–7
host plant resistance, 715–16
indigenous natural enemies, 707
management, 709–10
pest status and yield losses, 708–9
stem borers and their distribution, 702–4
utilization of synthetic sex pheromones, 709–10
Lepipolys spp., 61
Lepisiota spp., 749
L. capensis, 739
Lepisma saccharina, 412, 470
Lepthyphantes tenuis, 580
Leptinotarsa decemlineata, 96, 105, 109, 506, 514, 519, 521, 577, 671, 848
Leptocera, 220
Leptopsilopa, 218
Lethal dose bioassays, 161
Leubopis spp., 217
Lice, 242
Life cycle factors, 39, 641–45
Life-tables, 363
Limenitis archippus, 66, 78
Linepithema humile, 449–50, 453, 455, 622
Lipaphis erysimi, 824
Lipara lucens, 636, 657
Liphyra spp., 748
L. brassolis, 738, 748
Liporrhopalum spp., 312, 314
L. gibbosae, 304
L. rutherfordi, 304
Liriomyza spp., 217, 447, 453
L. brassicae, 787
L. huidobrensis, 447
L. sativae, 447

L. trifolii, 447
Lispe spp., 219
Lispoides spp., 219
Lithocarpus, 637
Living mulches, 579
Lobatae, 638–40
Local conditions
adaptations to, 442
Lochmaea caprea, 787
Locusta spp., 472, 488, 893
L. migratoria, 471, 481–82, 824
Logania spp., 748
Lolium perenne, 186
Lotophila, 220
Lotus corniculatus, 823
Loxocera cylindrica, 219
Lucilia cuprina, 402
Luffa cylindrica, 832
Lupinus arboreus, 828
Lycaeides melissa samuelis, 754
Lycaenid-ant interactions
ants as a template for butterfly diversification, 747–48
costs and benefits of, 745–48
effects of ant association on host plant choice, 746–47
Lycaenid *sense stricto* larval sound production, 744
Lycaenidae (Lepidoptera)
and ant association, 748–54
biogeographic distribution, 754–59
costs and benefits of Lycaenid-ant interactions, 745–48
ecology and evolution of ant association in, 733–71
entomophagy, 737, 748–54
mechanisms of interaction, 737–45
variation in Lycaenid-ant associations, 734–37
Lycopersicon hirsutum, 380
Lygus spp., 272
L. hesperus, 273
L. lineolaris, 273
Lymantria dispar, 105–7, 109, 114, 373, 375–77, 513, 577, 824–26, 828, 833, 887
Lymnaea stagnalis, 544, 548
Lysandra hispana, 740
Lysiphlebus confusus, 444
L. fabarum, 444
L. testaceipes, 444
Lytogaster, 218
Lytta, 472

M

Macaranga, 757
Macroneura vesicularis, 647
Macropus agilis, 10
M. fuliginosus, 10
Macrosiphum, 541
Maculinea spp., 742, 744, 746, 752
M. alcon, 742, 752
M. arion, 754
M. arionides, 752, 754
M. rebeli, 739, 752
Major histocompatibility complex protein (MHC), 396
Malacosoma disstria, 371, 376, 826
Maliarpha separatella, 702–3, 715
Malus spp., 181–82
M. pumila, 774
Malvanthera, 314
Mamestra configurata, 824
Management of Japanese beetle, 175–205
attractants and trapping, 185
biological and microbial control, 187–91
biology and ecology, 177–84
cultural control, 187
future directions for research and management, 193–94
history as a pest and current geographic distribution, 176–77
host plant resistance, 186
insecticidal control, 191–92
mass sterilization, 186–87
plant-derived antifeedants, 191
regulatory control, 192–93
sampling, spatial distribution, damage thresholds, 184–85
Management of lepidopteran cereal stem borers, 701–31
biological control, 716–20
cultural control, 710–15
diapause, 704–6
displacement of native stem borers by *C. partellus*, 706–7
host plant resistance, 715–16
indigenous natural enemies, 707
pest status and yield losses, 708–9
stem borers and their distribution, 702–4
utilization of synthetic sex pheromones, 709–10
Management of smokybrown cockroach, 43–47
cockroach habitat index, 44–45
control strategies, 45–47
importance of sampling and sampling methods, 43–44
Manduca spp., 472–74, 480, 483, 486, 488–92, 682, 685–86, 692–93, 887, 889–92, 896, 898–900

M. sexta, 63, 99–100, 371, 376–77, 471, 482, 485, 537–38, 542, 545, 548, 685, 824, 885–88, 893–94
Manipulation of habitats, 578–81
  conservation tillage, 579
  discrete shelters and web sites, 580
  field borders, 580
  intercropping, 579
  the landscape, 580
  living mulches, 579
  straw mulches, 578–79
Manipulation of individual predator behavior, 581
Manipulation of predator populations
  to enhance pest control, 577–82
  hedgerow to landscape, 578–81
  integrated manipulation, 581–82
  inundative release, 578
  using food sprays and semiochemicals, 581
Manipulative field studies
  attributes of generalist predators detected during biocontrol practice, 576–77
  effectiveness of assemblages of generalist predators, 575
  effectiveness of assemblages of natural enemies, 575–76
  effectiveness of individual predator species, 574–75
  estimating the potential for conservation biological control, 576
  experimental evidence from, 573–77
Mansonella ozzardi, 241
Mansonia spp., 2, 245
M. septempunctata, 16
M. uniformis, 245
Mark-recapture techniques, 43
Mass sterilization, 186–87
Mate selection
  ant dependent, 742
Maternal effects, 100
Mathematical models supporting sympatric speciation, 777–86
  assortive mating either directly or indirectly tied to host-related phenotypes, 782–84
  disruptive selection and negative performance trade-offs, 784–85
  from host race to species, 785–86
  independent regulation of insect population sizes in discrete host plant niches, 780–82
Mating behavior, 180
Matsucoccus resinosae, 446
Mayetiola destructor, 658
Measurement of direction
  celestial compass in, 923–25
Measurement of distance, 922–23
Mechanitis polymnia, 63
Mediation of displacement, 441–42
  adaptations to local conditions, 442
  differential impact of natural enemies, 441
  lack of alternative host/food sources, 441
  metapopulation structure, 442
Medical entomology
  sampling and sampling methods for pathogens in, 156–59
Medically important species
  displacement of, 448
Megaselia abdita, 678
Melanogromyza, 217
Melanoplus foedus, 275
M. sanguinipes, 823
Melieria, 219
Melinis minutiflora, 711
Melipona spp., 450, 937
M. panamica, 937
M. quadrifasiata, 937
Meris alticola, 61
Meromyza spp., 217
Mesopolobus sericeus, 647
Metamorphosis in insects
  embryonic development and generation of the larval stage, 469–75
  endocrine insights into evolution of, 467–500
  endocrine mechanisms associated with evolution of metamorphosis, 480–87
  molecular modifications associated with metamorphosis, 487–92
  timing of imaginal proliferation, 475–80
Metapopulation structure, 442
Metarhizium spp., 193
M. anisopliae, 185, 190–91
Metaseiulus occidentalis, 451–52
Methyl bromide
  alternatives to, 331–59
Metopolophium dirhodum, 822
Microbial control, 187–91
  Bacillus thuringiensis for, 189
  milky disease bacteria, 188–89
  nematodes, 189–90

other entomopathogens, 190–91
predators and parasitoids, 187–88
Microclimate, 373–74
Microeca fascinans, 10
M. leucophaea, 10
Microhabitat specificity, 215
Micropezidae
larval feeding habits in, 218
Midges
nonbiting, and human health, 403–4
Migration dances, 941–42
Milionia basalis, 65
Milky disease bacteria, 188–89
Milotus spp., 748
Minettia lupulina, 218
Mite allergens
characteristics of, and human health, 416–17
Mixed islands, 604–5
Modifications
of successful invaders, 621–22
Molecular approaches to insect segmentation, 669–99
Coleoptera, 688–90
Diptera, 678–82
in embryos, 670–74
Hymenoptera, 686–88
Lepidoptera, 682–86
Orthoptera, 690–92
Molecular biology of insect ferritins, 542–44
Molecular evolution, 319–20
Molecular modifications associated with metamorphosis, 487–92
actions of juvenile hormone, 490–92
evolution of ecdysone receptor complex, 488
evolutionary aspects of ecdysone action, 488–90
Montreal Protocol on Substances that Deplete the Ozone Layer, 332–33
Morphological apomorphies, 311–12
Mortality
causes of, 365–68
in early stages, patterns in the level and distribution of, 364
Mosquito invasions of Pacific islands, 244–46
Australia, 13–15, 245
Guam, 244–45
Hawaii, 244
New Zealand, 246
Mosquito vectors, 12–18
Mosquitoes
container-inhabiting, 239–41
and human health, 400–2
Moths
and human health, 412
Mukia scabrella, 832
Mulches, 578–79
Multiple founding, 659
Mumetopia, 217
Musca domestica, 402, 545, 678
Muscidae
larval feeding habits in, 218–19
Mycobacterium kansasii, 130
Myrmica spp., 744, 746, 752
M. schencki, 739
Mythimna convecta, 377
Myzus persicae, 824, 827

N

National Academy of Sciences, 862, 865
National Agricultural Statistics Service (NASS), 851–52
National Center for Food and Agricultural Policy (NCFAP), 851, 855–56
National Environmental Policy Act (NEPA), 134
National Institutes of Health, 134, 136
National Registration Authority (Australia), 866
National Research Council, 857, 865
Natural enemies, 707
differential impact of, 441
nematodes and pathogens, 707
parasitoids, 707
predators, 707
that include generalist predators, 575–76
Nauphoeta spp., 481
N. cinerea, 483
Neacoryphus bicrucis, 441
Necrobia, 688
Nectar secretion, 648
Nematodes, 189–90
entomopathogenic, 189
and pathogens, 707
Neo-endemism, 617–20
behavioral isolation, 618
ecological isolation, 618–19
geographical isolation and founder events, 617–18
speciation associated with hosts, 619–20
Neochirosa spp., 219
Neochlamisus, 797
N. bebbinanae, 787–88, 797
Neodiprion abietis, 826
N. sertifer, 832
N. setifer, 833
Neodusmetia sangwani, 445
Neomicropteryx, 682
Neonate behavior and physiology, 377–80
dispersal and feeding site location of first instars, 377–78
feeding behavior, 378–79

feeding physiology and enzyme systems, 379–80
social behavior, 379
Neonate defenses, 368–70
Neonate plant factors, 371–77
changes in host quality and interactions, 376–77
chemical defenses, 374–76
leaf hairs and trichomes, 371
leaf micro-flora, 372–73
leaf toughness and hardness, 372
leaf waxes and other leaf surface chemicals, 371–72
microclimate, 373–74
nutrition, 374
plant architecture, 371
Neoperla clymene, 471
Neoseiulus cucumeris, 275
Neotyphodium spp., 186
Nesosydne, 612, 619
Neurosensory requirements, 273–74
Neuroterus spp., 642, 647
N. quercusbaccarum, 642, 650
N. saliens, 641
New Zealand mosquito invasions of, 246
Nicotiana attenuata, 376
N. sylvestris, 376
Nilaparvata lugens, 541–42, 545, 548, 786–87
Niphanda fusca, 741, 752
Nonbiting midges and human health, 403–4
Non-H-type secreted ferritin subunits, 545–46
"Nonself" ability to recognize, 130
Nonshifters, 799
Nontarget organisms influence on the environment, 859–61
Nostima, 218
Nothofagus, 637
Notiphila spp., 218, 221
Nuculaspis tsugae, 445–46
Nuffield Council, The, 872
Nuphar, 217, 219
Nutritional components of diet quality, 374, 820–25
Nutritional ecology and determinants of host range, 180–84
determinants of host plant suitability for adults, 181–82
factors affecting flight and adult feeding activities, 183–84
host location by adults, 180–81
larval feeding ecology, 184
physiological and behavioral adaptations for polyphagy, 183
Nymphaea, 219
Nysius, 619
Nyssa, 210

O

Oak gall communities, 646–53
composition of, 646–47
and gall toughness, 648–49
and gall wall thickness, 649
impacts of nonmorphological traits on, 650
morphological traits of, 649–50
nectar secretions, 648
number of larval chambers per gall, 649
significance of gall structure for Cynipid gall communities, 648
variation in community structure within and among Cynipid species, 650–53
Oak gall wasps (Cynipidae), 633–68
adaptive significance of galls, 635
communities of, 646–53
competition and facilitation in populations of, 658–60
evidence for loss of sex from life cycles of, 645–46
future directions, 660
gall induction, 636–37
host plant relationships in, 637–40
interactions with host plants, 656–58
interactions with natural enemies, 653–56
life cycles in, 641–45
patterns in species richness, 640–41
plant vigor and host resistance, 657–58
relationships among, 635–36
tritrophic interactions in, 653
Oak taxa
variations in Cynipid species richness among, 640–41
Ochrogaster spp., 379
O. lunifer, 367
Ochthera, 218
Odontonema callistachyum, 830
Oecanthus pellucens, 671
Oecophylla longinoda, 741, 748
O. smaragdina, 741–42, 748
Office for Human Research Protections, 134
Office of Biotechnology Activities, 136
Office of Science and Technology, 864, 866
Ogyris spp., 747

O. aenone, 747
O. barnardi, 747
O. genoveva, 742, 747
O. ianthis, 747
O. idmo, 747, 749
O. iphis, 747
O. olane, 747
O. oroetes, 747
O. otanes, 747
O. subterrestris, 747, 749
O. zosine, 747
Olcella, 217
Oliarus polyphemus, 617
Omiodes blackburni, 619
Omnivory in terrestrial arthropods
  applied considerations of, 285–87
  behavioral traits, 273–75
  biological control, 285–86
  characteristic traits of omnivores, 271–76
  chemical control, 286–87
  crop damage, 285
  cultural control, 287
  digestive enzymatic traits, 272–73
  ecological attributes of, 276–85
  foraging for different food types, 274–75
  mixing plant and prey diets, 267–97
  morphological traits, 271–72
  neurosensory requirements, 273–74
  phylogenetic traits, 275–76
  scope and terminology, 268–71
  suggestions for future work, 287–88
Omphalocera munroei, 368
Onchocerciasis Control Program, 241
Oncopeltus spp., 472
O. fasciatus, 272, 481
O. sandarachatus, 452
Ophraella spp., 798
O. arctica, 798
O. bilineata, 798
O. communa, 798
Ophryocystis elektroscirrhea, 372
Opomyza petrei, 219
Opomyzidae
  larval feeding habits in, 219
"Optic flow" theory of honey bee dance, 922
Orachrysops niobe, 754
Organization for Economic Cooperation and Development, 870
Orgyia vetusta, 828
Oriental rat flea
  bubonic plague and, 238–39
Orius spp., 280, 286, 580
O. insidiosus, 273, 279, 282
Ormyrus nitidulus, 648
Ornithodorus moubata, 544
Orthacheta hirtipes, 219
Orthoptera
  segmentation in, 690–92
Oryzaephilus spp., 335, 338
O. mercator, 338
O. surinamensis, 337, 342
Osaka beetle, 179
Oscinella spp., 217
Ostrinia nubilalis, 105, 163, 280, 373–75, 379, 505, 513, 515, 519, 521, 853, 887
Otites, 219
Otitesella, 309
Otitidae
  larval feeding habits in, 219
Outcrossing
  influence on environment, nontarget organisms, and other crops, 857
Ovavesicula popilliae, 190, 194
Oviposition
  ant dependent, 742
Oxidation of 7-dehydrocholesterol, 900–2
Oxidative stress, 550

P

Pachylophus spp., 217
Pacifastacus leniusculus, 544, 548
Pacific islands
  mosquito invasions of, 244–46
Paenibacillus lentimorbus, 188, 190
P. popilliae, 188, 190
"Pair-rule pattern," 675
Paleacrita vernata, 371
Paleo-endemism, 616–17
Paleomorphe, 314
Panacela spp., 379
Panolis flammea, 826, 828, 831
Panonychus citri, 451
P. mori, 451
P. ulmi, 418, 451
Papilio canadensis, 375
P. glacus, 375
P. palamedes, 375
P. troilus, 375
P. xuthus, 367
Papillose organs, 739
Paracoenia, 218
Paralimna, 218
Paralucia aurifers, 745
Parasarcophaga spp., 402
Parasitic mites
  and human health, 417–18
Parasitoid communities
  impacts of nonmorphological traits of Cynipid galls on, 650
Parasitoids, 307–8, 647, 707
Paratransgenesis of Chagas disease vectors, 127–32
  dispersal of transformed symbionts in vector

populations, 131–32
expression of antitrypanosomal peptide in, 129
studies in other triatomine species, 132
use of integrative plasmids for transformation of bacterial symbionts, 130–31
Paratransgenic *Rhodnius prolixus*
establishment of, 128
expression of a functional antibody fragment in, 129–30
Paraulax, 637
Parectecephala spp., 217
Parentia, 616
Parnassius spp., 64
Parsonsia spp., 61
P. laevigata, 61
P. staminea, 373
P. straminea, 376
Parydra, 218
Passiflora auriculata, 64, 66
Pastinaca sativa, 827
Pathogens, 707
Patterns of gene expression, 100–10
diapause-downregulated genes, 101–3
diapause-upregulated genes, 104–8
gene expression uninfluenced by diapause, 101
Peatlands, 209
Pectinophora gossypiella, 96, 506–7, 515, 518, 851
Pediaspis aceris, 643
Pediculus humanus, 242
Pediobius furvus, 718
Pegohylemyia seneciella, 452
Pegoscapus spp., 312
P. mexicanus, 305
Pelargonium x *hortorum*, 182
Pelina, 218
Penicillaria jocosatrix, 447
Pennisetum purpureum, 711
Perforated chambers, 739
Periclistus spp., 654
Peridomestic pests, 37–38
Peridroma saucia, 375
Perillus bioculatus, 577
Periplaneta spp., 34–35, 39, 41
P. americana, 35, 274, 409, 891–92
P. brunnea, 34
P. emarginata, 34
P. fulcherae, 34
P. fuliginosa, 33–35
P. japonica, 34
P. picea, 34
P. truncata, 34
Perthida glyphopa, 367
Pest status and yield losses, 708–9
Petrobius maritimus, 470
Phalaris, 217
Pharmacophagy, 73–74
Phasis spp., 747
P. thero, 749
Pheidole megacephala, 449–50, 453, 622
Phenacoccus manihoti, 443
Phengaris spp., 752
P. atroguttata formosana, 752
P. daitozana, 752
Pherbellia, 220
Pherbina, 220
Pheromonal communication, 62, 178–80
putative aggregation pheromone, 179–80
sex pheromone, 178–79
used as a control method in integrated pest management, 348
Philaenus spumarius, 541
Philotrypesis, 308
Phoetaliotes nebrascensis, 823
Phoracantha spp., 447–48
P. recurva, 447
P. semipunctata, 447
Phormia regina, 893
Phragmites australis, 657
Phthorimaea operculella, 378, 851
Phyllopertha horticola, 831
Phyllotreta cruciferae, 824
P. nemorum, 827
Phylogenetic relationships, 310–11, 936
Phylogenetic traits, 275–76
Phyrganidia californica, 822
Physical alternatives to methyl bromide treatments, 334–38
aridity, 338
cold, 337–38
heat, 334–37
Physiological and behavioral adaptations for polyphagy, 183
Physothorax, 308
Phytochemicals
sequestered, 65–66
use patterns of, 67
Phytogenetic patterns in ant association, 755–58
Phytomyza, 217
Phytophagous insect species
critics of sympatric speciation, 776
displacement of, 445–48
and human health, 417–18
importance of sympatric speciation, 774–75
progress on eight tests of sympatric speciation, 777–804
prospectus for the future, 804–6
sympatric speciation defined, 775
sympatric speciation in, 773–815
sympatric species as a host

race, 775–76
testing sympatric speciation, 776–77
Phytoseiulus persimilis, 418
Picea spp., 826, 830
Pieris spp., 65, 67
P. brassicae, 65
P. japonica, 60, 77–78
P. rapae, 65, 368, 372, 379, 444, 826
Pigments, 66–67
Pimelia, 610, 618
"Pine beetle"
See Smokybrown cockroach
Pineus boerneri, 446
P. coloradensis, 446
Pinus contorta, 826, 831
P. resinosa, 446
Pistia stratiodes, 822
Pisum spp., 149
Placidula euryanassa, 63
Plagiotrochus suberi, 641, 645
Plant allelochemicals, 58
Plant architecture, 371
Plant chemical-derived pheromone
sexual selection via, 74–75
Plant-derived antifeedants, 191
Plant factors affecting neonates, 371–77
changes in host quality and interactions, 376–77
chemical defenses, 374–76
leaf hairs and trichomes, 371
leaf micro-flora, 372–73
leaf toughness and hardness, 372
leaf waxes and other leaf surface chemicals, 371–72
microclimate, 373–74
nutrition, 374
plant architecture, 371
Plant-herbivore interface, 71–75
evolutionary reciprocity, 72–73
food assessment, 71–72
host exploitation, 73
pharmacophagy, 73–74
sexual selection via plant chemical-derived pheromone, 74–75
Plant-incorporated protectants (PIPs), 865
Plant Protection Act Title IV, 148
Plantago lanceolata, 827
Plasmodium falciparum, 243–44
P. gallinaceus, 130
P. relictum, 244
Platycnemis pennipes, 671
Platygymnopa, 218
Platynota sultana, 345, 347
Platyptilia pica, 65
Platyscapa, 311, 314
P. fischeri, 314
P. hsui, 314
Plebejus acmon, 741
P. argus, 603
Pleistodontes, 311, 314
Plodia interpunctella, 337–39, 342, 348, 503–5, 507, 510, 514, 519–20, 522
Plunomia, 217
Plutella xylostella, 160, 372, 378, 502–3, 507, 511–15, 518–24, 824, 832, 850, 860
Podisus maculiventris, 272, 277
Podocarpus macrophyllus, 65
Poecilocapsus lineatus, 272
Poephila personata, 10
Polistes annularis, 407
P. chinensis antennalis, 450
P. dominulus, 408
P. exclamans, 408
P. fuscatus, 408
P. humilis, 450
P. metricus, 408
Pollination ecology, 303–4
Polymyxa betae, 146
Polyommatus spp., 744
P. icarus, 741, 745, 823
Polypedilum kyotoense, 403
Polyphagus predators, 564
Polyphagy
physiological and behavioral adaptations for, 183
Polyrhachis queenslandica, 749
Polytela gloriosa, 66
Popillia japonica, 175–77, 179, 187
Population and community ecology, 213–16
colonization ecology, 216
demography, 215
habitat distribution, 213–15
microhabitat specificity, 215
Population biology of oak gall wasps, 633–68
adaptive significance of galls, 635
competition and facilitation in Cynipid populations, 658–60
Cynipid life cycles, 641–45
Cynipid relationships, 635–36
evidence for loss of sex from Cynipid life cycles, 645–46
future directions, 660
gall induction, 636–37
host plant relationships in Cynipini, 637–40
interactions with host plants, 656–58
interactions with natural enemies, 653–56

oak gall communities, 646–53
patterns in Cynipid species richness, 640–41
plant vigor and host resistance, 657–58
tritrophic interactions in oak Cynipid galls, 653
Population-level processes, 279–82
Populations, 43
genetics of, 247–49
small, 621
structure reflecting sympatric rather than allopatric speciation, 793–99
Populus spp., 217
P. tremuloides, 826
Pore cupola organs (PCOs), 738
Postembryonic modifications in endocrine signaling, 484–87
endocrine control of imaginal growth, 484–86
endocrinology of larval-pupal transition, 486–87
Potatoes
commercialized, 850
influence of plants on insecticides used and economics of production, 855–56
Precis coenia, 477
P. (*Junonia*) *coenia*, 61
Predaceous mites
and human health, 417–18
Predation models, prey choice, and functional responses, 568–70
Predator species
individual, effectiveness of, 574–75
Predator strategies
for coping with prey scarcity, 570–71
Predators, 307–8, 647, 707
and parasitoids, 187–88
Preparative phase, 95–97
storage proteins, 96–97
Prey and host plant specificity, 278–79
Prey-predator interface, 75–78
aposematism, crypsis, or mimicry, 76, 78
unpalatability, 75–76
Prey scarcity
predator strategies for coping with, 570–71
Pritchardia, 619
Prochoerodes truxaliata, 268, 279
Prodoxus quinquepunctellus, 787, 796
Progesterone binding, 130
Prognathogryllus, 619
Prokelesia, 795
Promachus yesonicus, 574
Pronymphal stage of insects, 470–72
relationship to holometabolous larva, 473–74
Prostephanus truncatus, 342
Protein synthesis
translational control by iron, 546–51
Proteolytic processing
altered, 507–9
Prothetely
lessons from, 477–80
Prothoracicotropic hormone (PTTH), 883
and other ecdysiotropic factors affecting prothoracic gland, 886–87
release of, and dynamics of ecdysteroid synthesis, 891–92
transductory cascade, 887–91
Protobalanus, 638, 640
Prunus spp., 182
P. padus, 830–31
Pryeria sinica, 64
Pseudhomalopoda prima, 444
Pseudococcus viburni, 346
Pseudohecamede, 218
Pseudomonas fluorescens, 189, 503
Pseudomys novaehollandiae, 9
Pseudopachychaeta spp., 217
Pseudotsuga spp., 826
P. menziesii, 823
Psila, 219
Psilidae
larval feeding habits in, 219
Psilocorsis quercicella, 368
Psilopa, 218
Pteromicra, 220
Pterostichus melanarius, 564, 571, 573, 579
Pulex irritans, 242
Pupal sound production, 743
Pyrrochoris apterus, 96, 482
Pyrrolizidine alkaloids (PAs), 61–63
Pyrus calleryana, 182

Q

Quadrat samplers, 212
Quantitative trait locus (QTL) mapping, 791
Quarantine, 148, 345–47
chemical dips, 345
combination quarantine treatments, 347
controlled atmospheres, 345
extreme temperatures, 345–46
fumigation, 345
high-pressure water, 346
irradiation, 346–47
wax coatings, 347
Quarantined insects

alternatives to methyl bromide treatments for, 331–59
contact insecticides, 342–43
fumigant alternatives, 339–42
integrated pest management, 347
parasitoids, 338–39
Quercus spp., 637, 640
Q. agrifolia, 822
Q. cerris, 641, 652
Q. petraea, 638, 641
Q. robur, 638, 641, 652, 656
Q. sensu stricto, 638
Q. spicata, 638
Q. suber, 641

R

Rachispoda, 220
Radiochemical incorporation studies, 899
Rainieria antennaepes, 218
Rare individuals
sampling and sampling methods for, 143–74
search for, 145, 156
Rattus rattus, 544
Recombinant DNA Advisory Committee (RAC) Guidelines, 134, 136
Regulation of diapause, 93–122
diapause termination, 110–12
future directions, 113–15
other dormancies, 112–13
photosensitive phase, 94–95
preparative phase, 95–97
Regulatory agencies for *Bt* plants, 864–66
Australia, 866
China, 865–66
United States, 864–65
Regulatory control, 192–93
Renocera, 220
Reproduction
trade-off with survival, 829
Reproductive interference, 441
Reproductive isolation
as "extrinsic" or "intrinsic," 793
Resins, 376
Resistance
to adults, 186
breeding for, 716
delay-induced, 831
to grubs, 186
Resistance gene frequency estimation of, 514–15
Resistance genes
identification of, 522–23
simultaneous occurrence of different, 521–22
variability as detected by laboratory, 514
Resource acquisition
differential, 439
Resource competition, 281
Resource conflicts, 317–18
Resource degradation, 440
Resource preemption, 440
Rhagoletis spp., 105, 787–88, 790, 793, 803, 806
R. cornivora, 797
R. mendax, 346, 787
R. pomonella, 105, 346, 774–75, 786–88, 790, 792–93, 795–97, 803–4
R. suavis, 803–4
Rhipicephalus spp., 418
Rhizocladus-Kalosyce clade, 314
Rhodnius prolixus, 125, 127–32, 242, 887, 892
expression of antitrypanosomal peptide, Cecropin A in, 129
Rhodococcus rhodnii, 125, 128–32, 136–37
Rhopalopterum, 217
Rhopalosiphum padi, 820, 826, 830–31
Rhynchosciara spp., 686
R. americana, 679
Rhyncogonus, 608
Rhysophora, 218
Rhyzopertha dominica, 335, 337–38, 342
Rice weevils
and human health, 405
Ricinus communis, 182, 285
Rickettsiella popilliae, 190
Riodinine ant organs, 739
Riparian wetlands, 210
Riptortus clavatus, 538–39
Rodolia cardinalis, 564–66
Rosa, 647
Ross River virus (RR), 1–31
activity by state and territory, 3–6
climate change, 20–21
clinical appearance and impact, 7–8
community antibody prevalence, 6–7
current issues and future concerns, 19–22
disease and vector control, 18–19
geographic distribution and annual activity, 3–7
international potential, 21–22
local potential, 19–20
mosquito vectors, 12–18
vector competence, 17–18
virus characteristics, 8–9
virus reservoirs, 9–11
virus survival strategies, 11

S

Safety Committee for Agricultural Biological Genetic Engineering (China), 865
Salicornia virginica, 221
Salix viminalis, 832

Salix spp., 182, 217, 826
S. antarctica, 822
S. dasyclados, 832
S. exigua, 829
Salvinia molesta, 821, 831
Samea multiplicalis, 374, 379, 821–22, 831
Sampling and sampling methods, 184–85
  detection or estimation, 145–46
  errors in detection, 146–48
  for exotic pests during quarantine inspections, 148–55
  for higher Diptera, 211–13
  importance of, 43–44
  in integrated pest management, 347–48
  for pathogens in veterinary and medical entomology, 156–59
  for rare arthropods with insecticide resistance, 160–66
  for rare individuals, 143–74
  techniques for, 212–13
  in wetland taxa, 211
Sanitation
  in integrated pest management, 349–51
Sapindus saponaria, 796
Sarcophaga spp., 219
S. crassipalpis, 99, 101–6, 108–9
S. peregrina, 538
Sarcophagidae
  larval feeding habits in, 219
Sarcoptes scabiei, 418
Sarona, 612
Sarracenia, 219
Scaptomyza, 608
Scatella spp., 218
S. picea, 215
Scathophaga spp., 219
Scathophagidae
  larval feeding habits in, 219
Schistocerca spp., 691–94
S. gregaria, 482
Schoenomyza spp., 219
Scientific Advisory Panel Report, 868
Scientific Committee on Problems of the Environment, 234
Sciomyza, 220
Sciomyzidae
  larval feeding habits in, 220
Scirpophaga spp., 703
S. incertulas, 163, 850
Scirpus, 219
Searching ability
  differential, 440
Seasonal biology, 177–78
Segmentation
  Coleoptera, 688–90
  Diptera, 678–82
  in embryos, 670–74
  Hymenoptera, 686–88
  Lepidoptera, 682–86
  molecular and embryological approaches to, 669–99
  Orthoptera, 690–92
Seioptera vibrans, 219
Seirarctia echo, 64
Selection
  for particular wetlands, 222
Selection for resistance to *Bacillus thuringiensis*, 503–7
  Coleoptera, 506–7
  Diptera, 506
  Lepidoptera, 503–6
"Selection-recombination" antagonism, 783
Senecio spp., 61
Senecio smallii, 441
S. jacobaea, 452, 827
Sepedon, 220
Sepedonea, 220
Sepedonella nana, 220
Sepsidae
  larval feeding habits in, 220
Sepsis, 220
Sequestered defensive syndromes, 59–67
  alerting signals, 66–67
  phytochemical-use patterns, 67
  unpalatable elements, 59–66
Sequestered metals, 375
Sequestered phytochemicals, 65–66
Sequestration of defensive substances from plants by Lepidoptera, 57–92
  biotransformation, 69–70
  circumvention of autotoxicity, 70
  ecology and evolution, 71–78
  fates of sequestrates, 68–69
  or de novo synthesis, 70–71
  physiology and biochemistry, 67–71
  plant-herbivore interface, 71–75
  prey-predator interface, 75–78
  process of, 67–68
Sesamia spp., 702, 704, 709
S. calamistis, 702–4, 709, 711–12, 715–16, 718–19
S. cretica, 704, 709
S. nonagriodes, 513, 709
S. n. botanephaga, 703–4
Setacera, 218
Sex pheromones, 178–79
  utilization of synthetic, 709–10
Sex ratios, 305–6
Sexual selection
  via plant chemical-derived pheromone, 74–75
Shirozua, 753
Sialis lutaria, 480
S. rotunda, 471
Side-chain dealkylation

of plant and fungal sterols, 898
Silkworms
and human health, 408–9
Silverfish
and human health, 412
Simuliidae, 241
Simulium damnosum, 241
Sinapis alba, 827
Sister species sympatry (SSS) test, 799–802
Sitobion avenae, 822, 826
Sitophilus spp., 334–35, 338
S. granarius, 337, 342, 405
S. oryzae, 337, 342–43
S. zeamais, 337, 452
Sitotroga cerealella, 334, 452
Smittia spp., 671
Smokybrown cockroach
clarification of species name, 34
description of species, 34–37
physical description of adults and nymphs, 34–35
worldwide distribution, 35–37
Social bees
insights into origin of dance, 936–38
Social behavior, 379
Social hymenoptera
displacements by, 448–50
Social issues in deployment of *Bt* transgenic plants, 870–73
consolidation of agriculture, 870–71
ethics, 872–73
labeling, 872
trade issues and global food supply, 871
Soil organisms
influence on environment, nontarget organisms, and other crops, 858–59
Solanum tuberosum, 63
Solenopsis geminata, 570
S. invicta, 42, 408, 449–50
"Solid-to-liquid feeding," 273
Solidago altissima, 788, 826
S. gigantea, 787–88, 797
S. missouriensis, 830
Sonchus oleraceus, 831
Sorghum vulgare sudanense, 711
Sowing dates and densities manipulation of, 714–15
Spalgis spp., 749
Spartina, 607, 795
Spatial-information processing in dance communication, 921–30
coding flight direction into dances, 925–26
coding flight distance into dances, 926–27
communicating height by waggle dance, 930
dance orientation, 925–26
distance signal, 926–27
information transfer from dancer to follower, 927–30
measurement of direction by celestial compass, 923–25
measurement of distance, 922–23
Spatial variation in the community associated with a single generation, 650–51
Spaziphora, 219
Specialist *versus* generalist predators, 566–68
factors affecting appropriateness of, 566–67
trade-offs between, 567–68
Speciation
of arthropods on islands, 595–632
associated with hosts, 619–20
by host switching, 313
modes of, 312–16
Species formation processes, 616–20
ecological change, 612–13
evolutionary change, 613–16
neo-endemism & adaptive radiation, 617–20
paleo-endemism, 616–17
subsequent to colonizaton, 612–16
Species invasions
impact of, 622
Species numbers and equilibrium, 607–9
climatic conditions, 608
equilibrium, 609
extreme isolation, 609
habitat diversity, 608
island age, 608–9
status of knowledge, 609
Spelobia, 220
Spermophilus tridecemlineatus, 112
Sphaeroceridae
larval feeding habits in, 220
Sphagnum, 209
Spilogona spp., 219
Spilosoma congrua, 61
Spindasis spp., 739, 749
Splicing of the IRE control of ferritin expression by alternative, 550–51
Spodoptera eridania, 375
S. exigua, 371, 505, 513–14
S. frugiperda, 372, 374, 378, 793, 824, 853
S. littoralis, 375, 505, 519, 521, 860
S. litura, 65
Sporulation, 188

Spread, 247
Stability of resistance, 520–21
Standing Committee on Biotechnology, Food and Fiber Production and the Environment, 857
"Standing guard" of ants maintaining, 740–41
Statistics and strategies, 149–55, 157–59, 161–66
  autocorrelation, 159
  beta-binomial-based sampling, 153–55, 157
  binomial-based sampling, 150–53, 157
  biochemical methods, 162
  choice of group size, 159
  diagnostic dose assays, 161–62
  F_2 screen, 163
  feeding disruption assays, 165–66
  feral screens, 162–63
  group testing, 158–59
  hypergeometric-based sampling, 149–50, 157
  in-field screen, 163–65
  lethal dose bioassays, 161
Stator limbatus, 828
Steatoda bipunctata, 451
S. borealis, 451
S. capensis, 451
Stegobium paniceum, 337
Steinernema carpocapsae, 189
S. glaseri, 189–90
S. kushidai, 189
Stem borers and their distribution, 702–4
Stenonema interpunctatum, 471
Stenoscinis, 217
Sterilization mass, 186–87
Steroid biosynthesis in insects *versus* vertebrates, 897
Steroid hormone synthesis, 889
Steroidogenic acute regulatory protein (StAR), 889
Stinging insects and human health, 405–8
Storage mites and human health, 412–16
Storage proteins, 96–97
Stored products
  alternatives for perishable products, 344
  alternatives to methyl bromide treatments for, 331–59
  contact insecticides, 342–43
  fumigant alternatives, 339–42
  integrated pest management, 347
  methyl bromide recapture and reuse, 343–44
  parasitoids, 338–39
  quarantine, 345–47
Straw mulches, 578–79
Streptanthus exigua, 375
S. polygaloides, 375
Stress responsive genes, 109–10
Subtractive hybridization, 114
Successful invaders modifications of, 621–22
Suidasia medanensis, 414
Supella longipalpis, 409
Suppression of ant aggression, 739–40
Survival of neonates and mortality factors, 363
  causes of mortality, 365–68
  a conceptual model for early stage survival and behavior, 370–71
  data set and caveats, 363
  interactions between mortality factors, 368
  neonate defenses, 368–70
  patterns in level and distribution of mortality in early stages, 364
  trade-off with reproduction, 829
Sweet potato hornworm, 111
Switching behavior, 570
Sycidium, 314
Sycophila biguttata, 647
S. flavicollis, 647
Symbionts genetically modified, 131
Sympatric speciation
  laboratory experiments supporting, 789–89
  selection experiments supporting, 790–91
  verbal and mathematical models supporting, 777–86
Symplocarpus spp., 219
S. foetidus, 217
Synergus spp., 650, 654
Synthetic sex pheromones utilization of, 709–10
Synthomeida epilais, 68
Systematics of fig wasps, 308–12
  morphological apomorphies, 311–12
  phylogenetic relationships, 310–11

T

T-cell receptor (TCR), 396
Tabanus spp., 412
Tachycines asynamorus, 691
Taenaris spp., 64
Taeniaptera lasciva, 218
Taeniopoda eques, 274
Tanacetum cinerariifolium, 191
Taraka spp., 749
Taxa of different feeding guilds

displacements between, 452
Taxodium, 210
Taxonomic distributions of host plants, 637–38
Temperatures
extreme, in quarantine, 345–46
Template for butterfly diversification
ants as, 747–48
Temporal variation in the community associated with a single generation, 650–51
Tenebrio spp., 476, 488–89
T. molitor, 475
"Tens Rule" of Williamson, 251–52
Tentacle nectary organs (TNOs), 739
Tentacle organs (TOs), 738
Teratoneura, 742
Terrestrial arthropods
applied considerations of omnivory, 285–87
behavioral traits, 273–75
biological control, 285–86
characteristic traits of omnivores, 271–76
chemical control, 286–87
crop damage, 285
cultural control, 287
digestive enzymatic traits, 272–73
ecological attributes of omnivory, 276–85
foraging for different food types, 274–75
mixing plant and prey diets, 267–97
morphological traits, 271–72
neurosensory requirements, 273–74
phylogenetic traits, 275–76
scope and terminology, 268–71
suggestions for future work, 287–88
Tests of sympatric speciation
consistency of genetic basis for host adaptation with sympatric speciation, 791–93
insects possessing key features assumed in models, 786–89
laboratory experiments supporting sympatric speciation, 789
population structure reflecting stages of sympatric rather than allopatric speciation, 793–99
progress on, 777–804
reproductive isolation as "extrinsic" or "intrinsic," 793
selection experiments supporting sympatric speciation, 790–91
species-level and higher biogeographic patterns matching predictions of Sympatric hypothesis, 799–804
verbal and mathematical models supporting sympatric speciation, 777–86
Tetanocera, 220
Tetragnatha, 604, 612, 619–20
Tetranychus pacificus, 345, 451
T. urticae, 345, 418, 451
Tetrapus, 300–1, 311
Tetrastichus hagenowii, 42
Thaumatomyia, 217
Thaumetopoea pityocampa, 412
Themira, 220
Thermobia spp., 483
T. domestica, 470, 482
Thestor spp., 741, 752, 754
Thevetia thevetiodes, 182
Thisbe irenea, 740, 745
Tilia cordata, 183
Timing of imaginal proliferation, 475–80
ancestral pattern of imaginal growth, 476–77
lessons from prothetely, 477–80
Tineola spp., 682
T. bisselliella, 412, 683
Tiphia spp., 194
T. popilliavora, 188
T. vernalis, 188
Tokunagayusurica akamusi, 403–4
Torymus auratus (= nitens), 647–48
T. flavipes (= auratus), 649
T. sinensis, 653, 658
Toxic metabolites, 68
Toxoptera aurantii, 444
Toxorhynchites spp., 241
Trade issues
and transgenic plants, 871
Transcriptional control of ferritin synthesis by iron, 551–52
LCH and HCH genes in Dipterans, 551–52
Transferrins, 537–39
as antibiotic agents, 539
as iron transporters, 538–39
as juvenile hormone-regulated proteins, 539
as vitellogenins, 539
Transformed symbionts
dispersal in vector populations, 131–32
Translational control of

protein synthesis by iron, 546–51
control of ferritin expression by alternative splicing of IRE, 550–51
control of protein synthesis by IRP/IRE interaction, 549–50
iron regulatory proteins, 546–47
iron responsive elements, 547–48
Translocation
of ER-localized 7-dehydrocholesterol, 899–900
Transport
of vectors on aircraft, 243–44
Trap design, 710
Trapping, 185
Triatoma spp., 125, 411
T. brasiliensis, 127
T. dimidiata, 127, 132
T. infestans, 127, 132, 242
T. protracta, 411
T. rubra, 411
T. rubrofasciata, 242
Triatominae bacterial symbionts
Chagas disease, 126–27
paratransgenesis and vector control, 132–33
paratransgenesis in, 125–26
paratransgenesis of Chagas disease vectors, 127–32
paratransgenic studies in, 132
safety concerns and regulation, 133–37
symbiosis in blood-feeding insects, 125
and their potential use in control of Chagas disease transmission, 123–41
use of integrative plasmids for transformation of, 130–31
Tribolium spp., 338–39, 342, 348, 684–85, 688–90, 693
T. castaneum, 335, 688
T. confusum, 335, 404–5, 478
Trichogramma spp., 339
T. evanescens, 339
Trichogrammatoidea, 444
Trichoplusia ni, 374, 823, 826
Trichosurus vulpecula, 10
Tricimba, 217
Triglochin, 217
Trigona spp., 450
Trimenia spp., 747, 749
Trimerina, 218
Tripteroides spp., 2
Tripterospermum, 752
Trirhabda canadensis, 830
Triticum aestivum, 822
Trogoderma granarium, 342, 345
Trollius europaeus, 801
Tropane alkaloids (TAs), 63
Trophic cascade, 281
Trophic ecology and feeding habits
importance to other organisms, 220–21
larval feeding habits, 216–20
Trypanosoma cruzi, 123, 126–30, 242
Tsuga canadensis, 446
Tuned error
in divergence angle, 940–41
Tylopaedia, 747
Tylophora tanakae, 66
Typha, 217
Typhlodromus pyri, 451–52
Typopsilopa, 218
Tyria jacobaea, 68, 366, 452, 827
Tyrophagus longior, 414
T. putrescentiae, 413–16
Tytthaspis sedecimpunctata, 271

U

Ulmus, 217
Union of Concerned Scientists, 873
United Nations Biosafety Protocol, 867
Unpalatable elements, 59–66, 75–76
aristolochic acids, 63–64
cardenolides, 59–60
cyanoglycosides, 64
cycasin, 64
glucosinolates, 65
graynoid diterpenes, 60
iridoid glycosides, 60–61
otehr sequestered phytochemicals, 65–66
pyrrolizidine alkaloids, 61–63
tropane alkaloids, 63
Urania fulgens, 66
Uresiphita reversalis, 65, 68
Urostigma, 314
Urtica dioica, 182
U.S. Bureau of Entomology, 176
U.S. Department of Agriculture (USDA), 134, 148, 851
U.S. Domestic Japanese Beetle Harmonization Plan, 192
U.S. Environmental Protection Agency (EPA), 136, 339, 342, 847, 852, 856–57, 865, 868
U.S. Office of Science and Technology Policy, 134
U.S. regulatory agencies for *Bt* plants, 864–65
Utetheisa ornatrix, 69, 74

V

Vector competence, 17–18
Vector control
  invasion biology and, 254
  paratransgenesis and, 132–33
"Vegetative insecticidal proteins" (Vips), 848
Venom immunotherapy, 407
Veratrum, 219
Verbal models supporting sympatric speciation, 777–86
  assortive mating either directly or indirectly tied to host-related phenotypes, 782–84
  disruptive selection and negative performance trade-offs, 784–85
  from host race to species, 785–86
  independent regulation of insect population sizes in discrete host plant niches, 780–82
Verbesina, 217
Vernonia, 217
Vespa crabo, 408
Vespids
  and human health, 407–8
Vespula flavopilosa, 408
V. germanica, 408, 450
V. maculifrons, 408
V. mandarinia, 408
V. pennsylvanica, 408
V. squamosa, 408
V. vidua, 408
V. vulgaris, 407, 450
Veterinary entomology
  sampling and sampling methods for pathogens in, 156–59
Viburnum spp., 791
Vicariance biogeography, 774
Virus characteristics, 8–9
Virus reservoirs, 9–11
Virus survival strategies, 11
Vitellogenin, 828
  transferrin as, 539

W

Waggle dance
  communicating height by, 930
Warning coloration, 78
Wasmannia auropunctata, 449
Wax coatings
  in quarantine, 347
Web of Science database, 819
Western Grey kangaroos, 10
Wetland ecosystems
  diversity and importance of, 208–11
  taxa of, 211
White House Council on Competitiveness, 866
Wiebesia, 314
W. frustrata, 300–1
Wolbachia, 642, 645
World Bank, 241
World Health Organization (WHO), 865, 868
Wyeomyia mitchellii, 240

X

Xanthopastis tiamis, 66
Xanthoteras politum, 654
Xenopsylla cheopis, 238, 242
Xesrophanes potentillae, 642

Y

Yponomeuta spp., 65, 787
Y. cagnagellus, 65
Y. evonymellus, 831
Y. hexabolus, 64
Yucca aloifolia, 796
Y. filamentosa, 796

Z

Zeiraphera canadensis, 376
Z. diniana, 787, 831
Zeolite, 343
Zeros, 218
Zetzellia mali, 451
Zoogeographical patterns in ant association, 754–55
Zygaena spp., 64
Z. trifolii, 64

Annual Review of Entomology
Volume 47, 2002

CONTENTS

ROSS RIVER VIRUS: ECOLOGY AND DISTRIBUTION, *Richard C. Russell* 1

BIOLOGY AND MANAGEMENT OF THE SMOKYBROWN COCKROACH, *Arthur G. Appel and Lane M. Smith II* 33

SEQUESTRATION OF DEFENSIVE SUBSTANCES FROM PLANTS BY LEPIDOPTERA, *Ritsuo Nishida* 57

REGULATION OF DIAPAUSE, *David L. Denlinger* 93

BACTERIAL SYMBIONTS OF THE TRIATOMINAE AND THEIR POTENTIAL USE IN CONTROL OF CHAGAS DISEASE TRANSMISSION, *C. Ben Beard, Celia Cordon-Rosales, and Ravi V. Durvasula* 123

STRATEGIES AND STATISTICS OF SAMPLING FOR RARE INDIVIDUALS, *Robert C. Venette, Roger D. Moon, and William D. Hutchison* 143

BIOLOGY AND MANAGEMENT OF THE JAPANESE BEETLE, *Daniel A. Potter and David W. Held* 175

BIOLOGY AND ECOLOGY OF HIGHER DIPTERA FROM FRESHWATER WETLANDS, *Joe B. Keiper, William E. Walton, and Benjamin A. Foote* 207

INVASIONS BY INSECT VECTORS OF HUMAN DISEASE, *L. Philip Lounibos* 233

OMNIVORY IN TERRESTRIAL ARTHROPODS: MIXING PLANT AND PREY DIETS, *Moshe Coll and Moshe Guershon* 267

HOW TO BE A FIG WASP, *George D. Weiblen* 299

ALTERNATIVES TO METHYL BROMIDE TREATMENTS FOR STORED-PRODUCT AND QUARANTINE INSECTS, *Paul G. Fields and Noel D. G. White* 331

ECOLOGY AND BEHAVIOR OF FIRST INSTAR LARVAL LEPIDOPTERA, *Myron P. Zalucki, Anthony R. Clarke, and Stephen B. Malcolm* 361

ARTHROPOD ALLERGENS AND HUMAN HEALTH, *Larry G. Arlian* 395

COMPETITIVE DISPLACEMENT AMONG INSECTS AND ARACHNIDS, *Stuart R. Reitz and John T. Trumble* 435

ENDOCRINE INSIGHTS INTO THE EVOLUTION OF METAMORPHOSIS IN INSECTS, *James W. Truman and Lynn M. Riddiford* 467

BIOCHEMISTRY AND GENETICS OF INSECT RESISTANCE TO *BACILLUS THURINGIENSIS*, *Juan Ferré and Jeroen Van Rie* 501

IRON METABOLISM IN INSECTS, *Helen Nichol, John H. Law, and Joy J. Winzerling* 535

CAN GENERALIST PREDATORS BE EFFECTIVE BIOCONTROL AGENTS?, *W. O. C. Symondson, K. D. Sunderland, and M. H. Greenstone* 561

ARTHROPODS ON ISLANDS: COLONIZATION, SPECIATION, AND CONSERVATION, *Rosemary G. Gillespie and George K. Roderick* 595

THE POPULATION BIOLOGY OF OAK GALL WASPS (HYMENOPTERA: CYNIPIDAE), *Graham N. Stone, Karsten Schönrogge, Rachel J. Atkinson, David Bellido, and Juli Pujade-Villar* 633

SHORT, LONG, AND BEYOND: MOLECULAR AND EMBRYOLOGICAL APPROACHES TO INSECT SEGMENTATION, *Gregory K. Davis and Nipam H. Patel* 669

BIOLOGY AND MANAGEMENT OF ECONOMICALLY IMPORTANT LEPIDOPTERAN CEREAL STEM BORERS IN AFRICA, *Rami Kfir, W. A. Overholt, Z. R. Khan, and A. Polaszek* 701

THE ECOLOGY AND EVOLUTION OF ANT ASSOCIATION IN THE LYCAENIDAE (LEPIDOPTERA), *Naomi E. Pierce, Michael F. Braby, Alan Heath, David J. Lohman, John Mathew, Douglas B. Rand, and Mark A. Travassos* 733

SYMPATRIC SPECIATION IN PHYTOPHAGOUS INSECTS: MOVING BEYOND CONTROVERSY?, *Stewart H. Berlocher and Jeffrey L. Feder* 773

HOST PLANT QUALITY AND FECUNDITY IN HERBIVOROUS INSECTS, *Caroline S. Awmack and Simon R. Leather* 817

ECONOMIC, ECOLOGICAL, FOOD SAFETY, AND SOCIAL CONSEQUENCES OF THE DEPLOYMENT OF BT TRANSGENIC PLANTS, *A. M. Shelton, J.-Z. Zhao, and R. T. Roush* 845

CONTROL AND BIOCHEMICAL NATURE OF THE ECDYSTEROIDOGENIC PATHWAY, *Lawrence I. Gilbert, Robert Rybczynski, and James T. Warren* 883

THE BIOLOGY OF THE DANCE LANGUAGE, *Fred C. Dyer* 917

INDEXES

Subject Index 951

Cumulative Index of Contributing Authors, Volumes 38–47 987

Cumulative Index of Chapter Titles, Volumes 38–47 991

ERRATA

An online log of corrections to *Annual Review of Entomology* chapters may be found at http://ento.AnnualReviews.org/errata.shtml